gizir WOOD PRODUCTS

TECHNOMATT

NEW GENERATION
ANTI-FINGERPRINT ACRYLIC PANEL

Technomatt

Smooth surface,Pleasant feeling...

Advanced anti-fingerprint technology
Excellent scratch resistance
Outstanding stain resistance
Increased UV resistance

Tecnomatt acrylic surface

Innovative antibacterial coating

Outstanding stain resistance

Waterproof polyurethane adhesive
that matches the front colour

Smudge resistant

Abrasion resistant and resistant
to group 1B chemicals

Anti-fingerprint Surface

Conventional surfaces

Technomatt surface

*Our product dimensions are 1220x2800x18mm

AF10 AF22 AF36 AF35 AF34 AF37 AF40 AF51 AF50 AF60

Antibacterial surface properties according to ISO 22196 / JIS Z 2801

TECHNICAL DATA SHEET

No	FEATURE	RESULT	STANDARD
1	Gloss level (60° angle)	< 5 GLE	DIN 67530
2	Scratch resistance (rating group 4 B)	> 2 N	DIN 68861/T4
3	Assessment of surface resistance to wet heat (70°C)	No change (8B)	DIN 68861/T8
4	Assessment of surface resistance to dry heat (75°C)	No change (7D)	DIN 68861/T7
5	Colour Fastness (Delta E) (Colour difference after 200 h Xenon test)	DE <1,7	ISO 4892-2
6	Haze	<10	DIN 67530
7	Chemical resistance	No visible changes	DIN 68861/T1
8	Behaviour to water vapour	No changes visible	AMK
9	Thickness tolerance	± 0,3 mm	Gizir
10	Bow tolerance	3,5 mm / m	Gizir
11	Density	≥ 1.07 ≤ 1.12 g/cm³	ISO 1183-1
12	Resistance to steel wool	class 1. no changes or scratches visible	TEST METHOD QPA-25-LT

*) These values are weighted average of the test results.

ISO 9001 BUREAU VERITAS Certification

TSE

gizir WOOD PRODUCTS

gizir.com

info@gizir.com

İSTANBUL
Export Office & Showroom
Barbaros Mah. Begonya Sok.
Nidakule Ataşehir Kuzey Sit.
No: 3/70 Ataşehir / İstanbul
T: +90 (216) 519 33 73

ADANA
Headquarters
Organize Sanayi Bölgesi,
Çanakkale Cad. No: 17
01250 Sarıçam / Adana
T: +90 (322) 394 43 40 (pbx)