Unihopper

UNIHOPPER INTERNATIONAL LIMITED

Hongkong Office:

Flat/rm A21, 9/F, Silvercorp int'l tower 707-713, Nathan Road Mongkok KLN Hongkong

China Office:

Room 2404, Office Building B, Fengxing Plaza, No. 242, Tianhe Road, Guangzhou, China

Email: pansheng@unihopper.biz Http://www.unihopper.biz/en







PRODUCT MANUAL







Unihopper is one of the best name and manufacturer for the high-end furniture, kitchen, wardrobe, and bathroom cabinet industry in the world, with the R&D centre in Europe. We only offer Uni- design, Uniproduct and Uni-service and we only look for the Unipartner in the world.











LED Magic box

The soft closing distance of the two-way slow motion drawer box is up to 53mm, which can efficiently avoid the noise from colliding when pulling out or closing the drawer. Meanwhile, due to the integrated function of the slow motion system, it will avoid much the damage from moving inertia of pulling or pushing. Therefore, the durability of the cabinet which is using two-way slow motion fitting is longer than the one using one-way.




SYNCHRONIZED CONCEALED SLIDE, TWO WAYS OF USE

Use for magic box with clip-on fixing







Use for wooden drawer with 3D clip-on fixing















LED lighting

It can be used on wall cabinet, wardrobe, and kitchen cabinets etc. Vibration sensor, sensor switch.










Kitchen storage system

Clip-on two way slow motion slides, 53mm soft closing distance, for pots, big plates etc. Reasonable and convenient, make good use of space.









Kitchen storage organizer

Garbage classification, better for environment and resource recycling.





To create a perfect motion in your wardrobe, it's easily achieved here.










THE LAYOUT OF UNIHOPPER ALL OVER THE WORLD
















HAINAN UNIHOPPER HARDWARE CO., LTD Orderer / Customer:

> ROOM 2408~2409.FENGXING PLAZA PART B. NO.242 TIANHE ROAD, TIANHE DISTRICT, GUANGZHOU

Object / Test specimen: Drawer box-Full extension with self closing and soft

closing

DBC Model no.:

Test requirements for partial Mechanical safety test Order:

Statement:

The overall test result: Passed

The Drawer box-Full extension with self-closing and soft closing was tested according to clause 6.3.8 following the parameter "column 3" for contract use according to Table C.2 of EN 15338: 2007. The tests were carried out between September 03, 2009 and October 30, 2009. The tests were conducted according to EN 15338: 2007, EN ISO 6270-2: 2005 and with respect to the present state of safety engineering.

Technical data and test results can be seen in the following test report.

The tests were carried out in indoor ambient conditions at a temperature between 15°C - 25°C.

The test report consists of 4 pages.

Note: The test results exclusively base on the presented samples.

Detailed information regarding measurement uncertainty is available in the test lab and could be shown on customer request.

This test report supersedes test report 1133004855/GZF/01-01 dated on 05/11/2009.

Guangzhou, 12/11/2009 (dd/MM/yyyy)

LGA Furniture Testing Laboratory TÜV Rheinland (Guangdong) Ltd.

Furniture Department

Person in Charge

Ronald Luo

Project Engineer

Stephan Pesch Head of Furniture Department

1133004855 GZF 03-01

LGA Furniture Testing Laboratory TÜV Rheinland (Guangdong) Ltd. Unit 101, NO.7 Galpin Road GZ Science City, Guangzhou 510663, P.R. China-Tel. +86 20 2839 1666 • Fax +86 20 2839 1999 • e-mail: lga@gz.chn.tuv.com

Page 1 of 4

This document has been electronically generated and is therefore without signature

> Every publication - also in stridged edition or in extracts - needs the previous agreement of LGA

LGA Furniture Testing Laboratory TÜV Rheinland (Guangdong) Ltd.



Orderer / Customer: HAINAN UNIHOPPER HARDWARE CO., LTD

> ROOM 2408~2409.FENGXING PLAZA PART B. NO.242 TIANHE ROAD, TIANHE DISTRICT, GUANGZHOU

Object / Test specimen: Full extension concealed slide with soft closing and self-

closing

CL Model no.:

Partial Test according to EN 15338: 2007 Order:

Statement:

The overall test result: Passed

The Full extension concealed slide with soft closing and self-closing was tested partially according to EN 15338: 2007 for contract use and following the parameter "column 3" according to Table C.1 and Table C.2 of EN 15338: 2007. The tests were carried out between December 30, 2009 and January 07, 2010. The tests were conducted according to EN 15338: 2007, EN ISO 6270-2: 2005 and with respect to the present state of safety engineering.

Technical data and test results can be seen in the following test report.

The tests were carried out in indoor ambient conditions at a temperature between 15°C - 25°C. Hinges which include structural hardware parts made of hygroscopic plastic material were conditioned at 18°C - 28°C and at a relative humidity of 45% - 55% for 7 days before testing.

The test report consists of 5 pages.

Note: The test results exclusively base on the presented samples.

Detailed information regarding measurement uncertainty is available in the test lab and could be shown on customer request.

Guangzhou, 18/01/2010 (dd/mm/yyyy)

LGA Furniture Testing Laboratory TÜV Rheinland (Guangdong) Ltd.

Furniture Department

Page 1 of 5

Person in Charge

Waley Huang Project Engineer

Head of Furniture Department

Stephan Pesch

1133005844 GZF 01-01.doc

LGA Furniture Testing Laboratory TUV Rheinland (Guangdong) Ltd.

Unit 201, NO.7 Calpin Road GZ Science City, Guangzhou 510663, P.R. China Tel. +86 20 2839 1666 • Fax +86 20 2839 1999 • e-mail: lga@gz.chn.tuv.com

This document has been electronically generated and is therefore without signature

> Every publication - also in abridged edition or in extracts - needs the previous agreement of LGA

CONTENTS

DRAWING SAMPLES

MAGIC BOX

Magic box	1.1
Inner magic box	1.21
Magic box of sink	1.27
Installation instruction	1.29
Divider system	1.35
Assembling fixture	1.41

UNIBOX



Unibox	2.1
Installation instruction	2.23
Inner unibox	2.27
Unibox of sink	2.33
Divider system	2.37

CONCEALED SLIDE



Concealed slide	3.1



SOFT CLOSING BALL BEARING SLIDES

	1	1
N	8	1

	Soft closing ball bearing slides	4.1
\		
_3		
-		

GAS HINGE



Gas hinge	5.1

LED LIGHTING



LED lighting	6.1	

KITCHEN STORAGE SYSTEM



Kitchen storage system-Phantom	7.1
Kitchen storage system	7.17

Kitchen storage of

KITCHEN STORAGE ORGANIZER

organizer

WARDROBE STORAGE SYSTEM



Wardrobe storage system-Naka	9.1
Wardrobe storage system-Moka	9.11

DRAWING SAMPLES



Low unibox



High unibox



Two-way Slow Motion



Medium unibox Glasses



High unibox Glasses heighten components with LED light



Soft-closing



Medium unibox Glasses heighten components with LED light



High unibox Steel side high panel



Clip-on



Medium unibox Steel side high panel



High unibox Double drawing bar



Design



Medium unibox Drawing bar

The corner unibox



High unibox Drawing bar



Rebound



Unibox of sink



The Installation



Opening angle:105°



Full overlay



Loading capacity 30KGS



Opening angle:165°



Half overlay



Loading capacity 35KGS



Closing angle:30°/45°/90°





LED lighting





MAGIC BOX



GLASS MAGIC BOX WITH LED











Order information

H80mm	H80mm Glass magic box with LED item code			
Nominal	minal Item code-Battery Item code-Wire		2	
length	Soft closing	Rebound	Soft closing	Rebound
270 mm	DBF1.270A1.(^)	DBRF1.270A1.(^)	DBF1.270A3.(^)	DBRF1.270A3.(^)
300 mm	DBF1.300A1.(^)	DBRF1.300A1.(^)	DBF1.300A3.(^)	DBRF1.300A3.(^)
350 mm	DBF1.350A1.(^)	DBRF1.350A1.(^)	DBF1.350A3.(^)	DBRF1.350A3.(^)
400 mm	DBF1.400A1.(^)	DBRF1.400A1.(^)	DBF1.400A3.(^)	DBRF1.400A3.(^)
450 mm	DBF1.450A1.(^)	DBRF1.450A1.(^)	DBF1.450A3.(^)	DBRF1.450A3.(^)
500 mm	DBF1.500A1.(^)	DBRF1.500A1.(^)	DBF1.500A3.(^)	DBRF1.500A3.(^)
550 mm	DBF1.550A1.(^)	DBRF1.550A1.(^)	DBF1.550A3.(^)	DBRF1.550A3.(^)

Remarks: (^):Color: Matt white (MW) / Dark grey(DG)


The complete set basic components includes : 1.Concealed slide Left/Right
2.Glass drawer side with LED Left/Right 3.Front fixing brackets 1*2pcs 4.Clip-on fixing Left/Right
5.Spacer for clip Left/Right

1.Concealed slide Left/Right		
Description	Concealed slide Left/Right	
	DBE.(^)SL.ZP	
THE PARTY OF THE P		
	Remarks:(^):Nominal length:270/300/350/400/450/500/550	

3.Front fixing brackets		
Description	Front fixing brackets	
	DA1102F1.80.(^)	
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	

5.Spacer for clip Left/Right		
Description	Spacer for clip Left/Right	
	DA1101F.ZP	


Product breakdown drawing




2.Glass drawer side with LED Left/Right		
Description	Glass drawer side with LED Left/Right	
	DBF.(^)AW1.(*)	
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (⁸):Color: Matt white (MW) / Dark grey(DG)	


4.Clip-on fix	4.Clip-on fixing Left/Right		
Description	Clip-on fixing Left/Right		
	CL12E.P3		

Space required





Runner Installation



Glass magic box with led-80mm

- -Full extension with self closing and soft closing
- -Fashionable appearance, slow motion, easy assembling
- -Drawer height 80MM
- -Synchronized concealed slide, loading capacity 30KGS
- -Epoxy coated
- -3D regulations, up and down, left and right, front and back
- -Mat:aluminum+glass

Unihopper Unihopper -1.2--1.1-



GLASS MAGIC BOX

► H80










Order information

H80mm	H80mm Glass magic box item code			
Nominal Item code			The complete set basic components includes	
length	Soft closing	Rebound	1.Concealed slide Left/Right	
270 mm	DBF1.270A2.(^)	DBRF1.270A2.(^)	2.Glass drawer side Left/Right	
300 mm	DBF1.300A2.(^a)	DBRF1.300A2.(^)	3.Front fixing brackets 1*2pcs	
350 mm	DBF1.350A2.(^)	DBRF1.350A2.(^)	4.Clip-on fixing Left/Right	
400 mm	DBF1.400A2.(^)	DBRF1.400A2.(^)	5.Spacer for clip Left/Right	
450 mm	DBF1.450A2.(^)	DBRF1.450A2.(^)		
500 mm	DBF1.500A2.(^)	DBRF1.500A2.(^)		
550 mm	DBF1.550A2.(^)	DBRF1.550A2.(^)		

Remarks: (^):Color: Matt white (MW) / Dark grey(DG)

Product breakdown drawing



1.Concealed slide Left/Right		
Description	Concealed slide Left/Right	
	DBE.(*)SL.ZP	
	Remarks:(^):Nominal length:270/300/350/400/450/500/550	


3.Front fixing brackets		
Description	Front fixing brackets	
	DA1102F1.80.(^)	
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	


5.Spacer for clip Left/Right		
Spacer for clip Left/Right		
DA1101F.ZP		
	Spacer for clip Left/Right	

2.Glass drawer side Left/Right		
Description	Glass drawer side Left/Right	
	DBF.(^)AW2.(⁸)	
	Remarks:(*):Nominal length:270/300/350/400/450/500/550 (*):Color: Matt white (MW) / Dark grey(DG)	


4.Clip-on fixing Left/Right		
Description	Clip-on fixing Left/Right	
	CLIZER	
	CL12E.P3	

Space required





Runner Installation



Glass magic box -80mm

- -Full extension with self closing and soft closing
- -Fashionable appearance, slow motion, easy assembling
- -Drawer height 80MM
- -Synchronized concealed slide, loading capacity 30KGS
- -Epoxy coated
- -3D regulations, up and down, left and right, front and back
- -Mat:aluminum+glass

Unihopper Unihopper -1.3--1.4-



Magic box-80mm

- -Full extension with self closing and soft closing/Rebound
- -Fashionable appearance, slow motion, easy assembling
- -Drawer height 80MM
- -Synchronized concealed slide, loading capacity 30KGS
- -Epoxy coated
- -3D regulations, up and down, left and right, front and back
- -Mat:steel

MAGIC BOX ► H80



Order information

H80mm Magic box item code				
Nominal	Front fixing bra	cket		
length	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound
270 mm	DBE2.270A.(^)	DBE1.270A.(^)	DBRE2.270A.(^a)	DBRE1.270A.(^)
300 mm	DBE2.300A.(^a)	DBE1.300A.(^)	DBRE2.300A.(^)	DBRE1.300A.(^)
350 mm	DBE2.350A.(^)	DBE1.350A.(^)	DBRE2.350A.(^)	DBRE1.350A.(^)
400 mm	DBE2.400A.(^)	DBE1.400A.(^)	DBRE2.400A.(^)	DBRE1.400A.(^)
450 mm	DBE2.450A.(^)	DBE1.450A.(^)	DBRE2.450A.(^)	DBRE1.450A.(^)
500 mm	DBE2.500A.(^)	DBE1.500A.(^)	DBRE2.500A.(^)	DBRE1.500A.(^)
550 mm	DBE2.550A.(^A)	DBE1.550A.(^A)	DBRE2.550A.(^A)	DBRE1.550A.(^)


Remarks:
(*):Color: Matt white (MW) / Dark grey(DG)
The complete set basic components includes : 1.Concealed slide Left/Right
2.Drawer side Left/Right 3.Plastic covers 1*2pcs 4.Front fixing brackets 1*2pcs
5.Clip-on fixing Left/Right 6.Back panel adapters 1*2pcs

1.Concealed slide Left/Right Description Concealed slide-Soft closing Concealed slide - Rebound DBE.(^)SL.ZP DBRE.(^)SL.ZP Remarks:(^):Nominal length:270/300/350/400/450/500/550

3.Plastic covers		
Description	Plastic covers	
	DA1101E1.(^)	
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	

5.Clip-on fixing Left/Right		6.Back panel adapters	
Description	Clip-on fixing Left/Right	Description	Back panel adapters
	DBE.SL1.GR		DA1103E1.80.(^A)
		Remarks:(^):Color: Mat	tt white (MW) / Dark grey(DG)


Product breakdown drawing




2.Drawer side Left/Right		
Description	Drawer side Left/Right	
	DBE.(^)AW.(⁸)	
10	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (*):Color: Matt white (MW) / Dark grey(DG)	
	().co.on.mate minte (iii 1) / Dank grey(DO)	

4.Front fixing brackets			
Description		Front fixing bracke	ts
Dowel	Screw	Dowel	Screw
þþ		DA1102E2.ZP	DA1102E1.ZP


Space required



Cutting size



Runner Installation



Unihopper Unihopper -1.5--1.6-



GLASS MAGIC BOX WITH LED

► H120









Order information

H120mr	H120mm Glass magic box with LED item code			
Nominal	Item code-Battery		Item code-Wire	
length	Soft closing	Rebound	Soft closing	Rebound
270 mm	DBF1.270B1.(^)	DBRF1.270B1.(^)	DBF1.270B3.(^)	DBRF1.270B3.(^)
300 mm	DBF1.300B1.(^)	DBRF1.300B1.(^)	DBF1.300B3.(^a)	DBRF1.300B3.(^)
350 mm	DBF1.350B1.(^)	DBRF1.350B1.(^)	DBF1.350B3.(^a)	DBRF1.350B3.(^)
400 mm	DBF1.400B1.(^)	DBRF1.400B1.(^)	DBF1.400B3.(^a)	DBRF1.400B3.(^)
450 mm	DBF1.450B1.(^)	DBRF1.450B1.(^)	DBF1.450B3.(^A)	DBRF1.450B3.(^)
500 mm	DBF1.500B1.(^)	DBRF1.500B1.(^)	DBF1.500B3.(^A)	DBRF1.500B3.(^)
550 mm	DBF1.550B1.(^)	DBRF1.550B1.(^)	DBF1.550B3.(^)	DBRF1.550B3.(^)

Remarks: (^):Color: Matt white (MW) / Dark grey(DG)


The complete set basic components includes : 1.Concealed slide Left/Right
2.Glass drawer side with LED Left/Right 3.Front fixing brackets 1*2pcs 4.Clip-on fixing Left/Right
5.Spacer for clip Left/Right

1.Concealed slide Left/Right		
Description	Concealed slide Left/Right	
	DBE.(^)SL.ZP	
T. L'I		
_	Remarks:(^):Nominal length:270/300/350/400/450/500/550	

3.Front fixing brackets		
Description	Front fixing brackets	
n R	DA1102F1.120.(^)	
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	

5.Spacer for clip Left/Right	
Spacer for clip Left/Right	
DA1101F.ZP	
	Spacer for clip Left/Right


Product breakdown drawing




2.Glass drawer side with LED Left/Right		
Description	Glass drawer side with LED Left/Right	
	DBF.(^)BW1.(⁸)	
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^8):Color: Matt white (MW) / Dark grey(DG)	

4.Clip-on fix	4.Clip-on fixing Left/Right	
Description	Clip-on fixing Left/Right	
	CL12E.P3	


Space required



Cutting size



Runner Installation



Glass magic box with led-120mm

- -Full extension with self closing and soft closing
- -Fashionable appearance, slow motion, easy assembling
- -Drawer height 120MM
- -Synchronized concealed slide, loading capacity 30KGS
- -Epoxy coated
- -3D regulations, up and down, left and right, front and back
- -Mat:aluminum+glass

Unihopper Unihopper -1.7--1.8-



GLASS MAGIC BOX

► H120










Order information

H120mm Glass magic box item code			
Nominal Item code			The complete set basic components includes
length	Soft closing	Rebound	1.Concealed slide Left/Right
270 mm	DBF1.270B2.(^A)	DBRF1.270B2.(^)	2.Glass drawer side Left/Right
300 mm	DBF1.300B2.(^A)	DBRF1.300B2.(^)	3.Front fixing brackets 1*2pcs
350 mm	DBF1.350B2.(^)	DBRF1.350B2.(^)	4.Clip-on fixing Left/Right
400 mm	DBF1.400B2.(^A)	DBRF1.400B2.(^)	5.Spacer for clip Left/Right
450 mm	DBF1.450B2.(^A)	DBRF1.450B2.(^)	
500 mm	DBF1.500B2.(^A)	DBRF1.500B2.(^)	
550 mm	DBF1.550B2.(^)	DBRF1.550B2.(^)	

Remarks: (^):Color: Matt white (MW) / Dark grey(DG)

Product breakdown drawing



1.Concealed slide Left/Right		
Description	Concealed slide Left/Right	
	DBE.(*)SL.ZP	
	Remarks:(^):Nominal length:270/300/350/400/450/500/550	


3.Front fixing brackets		
Description	Front fixing brackets	
R	DA1102F1.120.(^)	
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	

	•			
5.Spacer for clip Left/Right				
Description	Spacer for clip Left/Right			
	DA1101F.ZP			


2.Glass drawer side Left/Right				
Description	Glass drawer side Left/Right			
	DBF.(^)BW2.(*)			
	Remarks:(^):Nominal length:270/300/350/400/450/500/550			

4.Clip-on fix	4.Clip-on fixing Left/Right		
Description	Clip-on fixing Left/Right		
	CL12E.P3		


Space required



Cu	t	t	i	า	g	S	į	ze	j
K 1.1		N 1				- 1			



Runner Installation



Glass magic box -120mm

- -Full extension with self closing and soft closing
- -Fashionable appearance, slow motion, easy assembling
- -Drawer height 120MM
- -Synchronized concealed slide, loading capacity 30KGS
- -Epoxy coated
- -3D regulations, up and down, left and right, front and back
- -Mat:aluminum+glass

Unihopper Unihopper -1.9--1.10-



Magic box-120mm

- -Full extension with self closing and soft closing/Rebound
- -Fashionable appearance, slow motion, easy assembling
- -Drawer height 120MM
- -Synchronized concealed slide, loading capacity 30KGS
- -Epoxy coated
- -3D regulations, up and down, left and right, front and back
- -Mat:steel



MAGIC BOX ► H120



Order information


H120mr	H120mm Magic box item code					
Nominal	Front fixing bracket					
length	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound		
270 mm	DBE2.270B.(^)	DBE1.270B.(^)	DBRE2.270B.(^a)	DBRE1.270B.(^A)		
300 mm	DBE2.300B.(^A)	DBE1.300B.(^A)	DBRE2.300B.(^A)	DBRE1.300B.(^)		
350 mm	DBE2.350B.(^a)	DBE1.350B.(^)	DBRE2.350B.(^A)	DBRE1.350B.(^)		
400 mm	DBE2.400B.(^A)	DBE1.400B.(^)	DBRE2.400B.(^A)	DBRE1.400B.(^)		
450 mm	DBE2.450B.(^A)	DBE1.450B.(^A)	DBRE2.450B.(^A)	DBRE1.450B.(^)		
500 mm	DBE2.500B.(^A)	DBE1.500B.(^)	DBRE2.500B.(^A)	DBRE1.500B.(^)		
550 mm	DBE2.550B.(^)	DBE1.550B.(^)	DBRE2.550B.(^A)	DBRE1.550B.(^)		

Remarks: (*):Color: Matt white (MW) / Dark grey(DG) The complete set basic components includes: 1.Concealed slide Left/Right 2.Drawer side Left/Right 3.Plastic covers 1*2pcs 4.Front fixing brackets 1*2pcs 5.Clip-on fixing Left/Right 6.Back panel adapters 1*2pcs 1.Concealed slide Left/Right Concealed slide-Soft closing Concealed slide - Rebound DBE.(^)SL.ZP DBRE.(^)SL.ZP Remarks:(^):Nominal length:270/300/350/400/450/500/550

3.Plastic covers		
Description	Plastic covers	
	DA1101E1.(^)	
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	

5.Clip-on fixing Left/Right		6.Back panel adapters		
Description	Clip-on fixing Left/Right	Description	Back panel adapters	
	DBE.SL1.GR	0 0 0	DA1103E1.120.(^)	
		Remarks:(^):Color: M	att white (MW) / Dark grey(DG)	


Product breakdown drawing




2. Drawer side Left/Right			
Description	Drawer side Left/Right		
	DBE.(^)BW.(⁸)		
08	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (*):Color: Matt white (MW) / Dark grey(DG)		

4.Front fixir	ng brackets		
Description		Front fixing bracke	ets
Dowel	Screw	Dowel	Screw
þþ		DA1102E2.ZP	DA1102E1.ZP


Space required




Cutting size



Runner Installation



Unihopper Unihopper -1.11--1.12-



GLASS MAGIC BOX WITH LED

► H170









Order information

H170mr	H170mm Glass magic box with LED item code				
Nominal	Item code-Battery		Item code-Wire		
length	Soft closing	Rebound	Soft closing	Rebound	
270 mm	DBF1.270C1.(^)	DBRF1.270C1.(*)	DBF1.270C3.(^)	DBRF1.270C3.(^a)	
300 mm	DBF1.300C1.(^A)	DBRF1.300C1.(*)	DBF1.300C3.(^A)	DBRF1.300C3.(^a)	
350 mm	DBF1.350C1.(^)	DBRF1.350C1.(*)	DBF1.350C3.(^)	DBRF1.350C3.(^a)	
400 mm	DBF1.400C1.(^)	DBRF1.400C1.(*)	DBF1.400C3.(^)	DBRF1.400C3.(^)	
450 mm	DBF1.450C1.(^)	DBRF1.450C1.(^)	DBF1.450C3.(^)	DBRF1.450C3.(^)	
500 mm	DBF1.500C1.(^A)	DBRF1.500C1.(*)	DBF1.500C3.(^A)	DBRF1.500C3.(^a)	
550 mm	DBF1.550C1.(^)	DBRF1.550C1.(^)	DBF1.550C3.(^)	DBRF1.550C3.(^a)	

Remarks: (^):Color: Matt white (MW) / Dark grey(DG)


The complete set basic components includes : 1.Concealed slide Left/Right
2.Glass drawer side with LED Left/Right 3.Front fixing brackets 1*2pcs 4.Clip-on fixing Left/Right
5.Spacer for clip Left/Right

1.Concealed slide Left/Right		
Description	Concealed slide Left/Right	
	DBE.(*)SL.ZP	
	Remarks:(^):Nominal length:270/300/350/400/450/500/550	

3.Front fixing brackets		
Description	Front fixing brackets	
	DA1102F1.170.(^)	
h a	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	

5. Spacer for clip Left/Right		
Description	Spacer for clip Left/Right	
	DA1101F.ZP	


Product breakdown drawing




2.Glass drawer side with LED Left/Right			
Description	Glass drawer side with LED Left/Right		
	DBF.(^)CW1.(⁸)		
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^b):Color: Matt white (MW) / Dark grey(DG)		

4.Clip-on fix	4.Clip-on fixing Left/Right		
Description	Clip-on fixing Left/Right		
	CL12E.P3		


Space required



Cutting size



Runner Installation



Glass magic box with led-170mm

- -Full extension with self closing and soft closing
- -Fashionable appearance, slow motion, easy assembling
- -Drawer height 170MM
- -Synchronized concealed slide, loading capacity 30KGS
- -Epoxy coated
- -3D regulations, up and down, left and right, front and back
- -Mat:aluminum+glass

Unihopper Unihopper -1.13--1.14-



GLASS MAGIC BOX ► H170










Order information

H170mm Glass magic box item code				
Nominal	Item code		The complete set basic components includes	
length	Soft closing	Rebound	1.Concealed slide Left/Right	
270 mm	DBF1.270C2.(^a)	DBRF1.270C2.(^)	2.Glass drawer side Left/Right	
300 mm	DBF1.300C2.(^a)	DBRF1.300C2.(^A)	3.Front fixing brackets 1*2pcs	
350 mm	DBF1.350C2.(^a)	DBRF1.350C2.(^)	4.Clip-on fixing Left/Right	
400 mm	DBF1.400C2.(^a)	DBRF1.400C2.(^)	5.Spacer for clip Left/Right	
450 mm	DBF1.450C2.(^)	DBRF1.450C2.(^)		
500 mm	DBF1.500C2.(^)	DBRF1.500C2.(^)		
550 mm	DBF1.550C2.(^)	DBRF1.550C2.(^)		

Remarks: (^):Color: Matt white (MW) / Dark grey(DG)

Product breakdown drawing



1.Concealed slide Left/Right			
Description	Concealed slide Left/Right		
	DBE.(*)SL.ZP		
	Remarks:(^):Nominal length:270/300/350/400/450/500/550		


3.Front fixing brackets			
Description	Front fixing brackets		
	DA1102F1.170.(*)		
li a	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)		


2.Glass drawer side Left/Right		
Description	Glass drawer side Left/Right	
	DBF.(^)CW2.(⁸)	
	Remarks: (*): Nominal length: 270/300/350/400/450/500/550 (*): Color: Matt white (MW) / Dark grey(DG)	

4.Clip-on fixing Left/Right				
Description	Clip-on fixing Left/Right			
	CL12E.P3			

5.Spacer for clip Left/Right			
Description	Spacer for clip Left/Right		
	DA1101F.ZP		


Space required







Runner Installation



Glass magic box -170mm

- -Full extension with self closing and soft closing
- -Fashionable appearance, slow motion, easy assembling
- -Drawer height 170MM
- -Synchronized concealed slide, loading capacity 30KGS
- -Epoxy coated
- -3D regulations, up and down, left and right, front and back
- -Mat:aluminum+glass

Unihopper Unihopper -1.15--1.16-



Magic box-170mm

- -Full extension with self closing and soft closing/Rebound
- -Fashionable appearance, slow motion, easy assembling
- -Drawer height 170MM
- -Synchronized concealed slide, loading capacity 30KGS
- -Epoxy coated
- -3D regulations, up and down, left and right, front and back



MAGIC BOX ► H170








Order information

H170mm Magic box item code					
Nominal	Front fixing bracket				
length	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	
270 mm	DBE4.270C.(^A)	DBE3.270C.(^A)	DBRE4.270C.(^a)	DBRE3.270C.(^)	
300 mm	DBE4.300C.(^A)	DBE3.300C.(^A)	DBRE4.300C.(^A)	DBRE3.300C.(^)	
350 mm	DBE4.350C.(^a)	DBE3.350C.(^a)	DBRE4.350C.(^A)	DBRE3.350C.(^)	
400 mm	DBE4.400C.(^a)	DBE3.400C.(^a)	DBRE4.400C.(^)	DBRE3.400C.(^)	
450 mm	DBE4.450C.(^A)	DBE3.450C.(^A)	DBRE4.450C.(^A)	DBRE3.450C.(^)	
500 mm	DBE4.500C.(^a)	DBE3.500C.(^A)	DBRE4.500C.(^A)	DBRE3.500C.(^)	
550 mm	DBE4.550C.(^)	DBE3.550C.(^a)	DBRE4.550C.(^)	DBRE3.550C.(^)	

Remarks:
(*):Color: Matt white (MW) / Dark grey(DG)
The complete set basic components includes : 1.Concealed slide Left/Right
2.Drawer side Left/Right 3.Plastic covers 1*2pcs 4.Front fixing brackets 1*2pcs
5.Clip-on fixing Left/Right 6.Back panel adapters 1*2pcs

Product breakdown drawing




	,g		_	
1.Concealed slide Left/Right			2.Drawer side Left/Right	
Description	Concealed slide-Soft closing	Concealed slide - Rebound	Description	Drawer side Le
	DBE.(A)SL.ZP	DBRE.(^)SL.ZP		DBE.(A)CW.(B)
	Remarks:(^):Nominal length:2	 		Remarks:(^A):No

3.Plastic covers		
Description	Plastic covers	
	DA1101E1.(*)	
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	


	Remarks:(°):Nominal length:270/300/350/400/450/500/550 (°):Color: Matt white (MW) / Dark grey(DG)		
4.Front fixir	ng brackets		
Description		Front fixing bracke	ets
Dowel Screw		Dowel	Screw
4 4		DA1102E4.ZP	DA1102E3.ZP

5.Clip-on fixing Left/Right		6.Back panel adapters	
Description	Clip-on fixing Left/Right	Description	Back panel adapters
	DBE.SL1.GR		DA1103E1.170.(^)
•		Remarks:(^):Color: M	att white (MW) / Dark grey(DG)


Space required



Cutting size



Runner Installation



Unihopper Unihopper -1.17--1.18-



Magic box-Any height

- -Full extension with self closing and soft closing/Rebound
- -Fashionable appearance, slow motion, easy assembling
- -Any height , with square railing
- -Synchronized concealed slide, loading capacity 30KGS
- -Epoxy coated
- -3D regulations, up and down, left and right, front and back

MAGIC BOX

- ► H=Any height
- ▶ with square railing





Order information

Any hei	Any height Magic box item code(with square railing)				
Nominal	Front fixing bracket				
length	Dowel-Soft closing	Screw-Soft closing	Dowel-Rebound	Screw-Rebound	
270 mm	DBE2.270EC1.(^)	DBE1.270EC1.(^)	DBRE2.270EC1.(^)	DBRE1.270EC1.(^)	
300 mm	DBE2.300EC1.(^)	DBE1.300EC1.(^)	DBRE2.300EC1.(^)	DBRE1.300EC1.(^)	
350 mm	DBE2.350EC1.(^)	DBE1.350EC1.(^)	DBRE2.350EC1.(^)	DBRE1.350EC1.(^)	
400 mm	DBE2.400EC1.(^)	DBE1.400EC1.(^)	DBRE2.400EC1.(^)	DBRE1.400EC1.(^)	
450 mm	DBE2.450EC1.(^)	DBE1.450EC1.(^)	DBRE2.450EC1.(^)	DBRE1.450EC1.(^)	
500 mm	DBE2.500EC1.(^)	DBE1.500EC1.(^)	DBRE2.500EC1.(^)	DBRE1.500EC1.(^)	
550 mm	DBE2.550EC1.(^)	DBE1.550EC1.(^)	DBRE2.550EC1.(^)	DBRE1.550EC1.(^)	

Remarks:

(*):Color: Matt white (MW) / Dark grey(DG)
The complete set basic components includes : 1.Concealed slide Left/Right
2.Drawer side Left/Right 3.Plastic covers 1*2pcs 4.Front fixing brackets 1*2pcs
5.Clip-on fixing Left/Right 6.Back panel adapters 1*2pcs 7.Square railing Left/Right


1.Concealed slide Left/Right Concealed slide-Soft closing Description Concealed slide - Rebound DBE.(^)SL.ZP DBRE.(^)SL.ZP Remarks:(^):Nominal length:270/300/350/400/450/500/550

3.Plastic covers		
Description	Plastic covers	
	DA1101E1.(^)	
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	

5.Clip-on fixing Left/Right			(
Description	Clip-on fixing Left/Right		ı
	DBE.SL1.GR		

6.Back panel adapters		
Description Back panel adapters		
	DA1103E1.80.(^A)	
Remarks:(^):Color: Matt white (MW) / Dark grey(DG)		

Product breakdown drawing




2.Drawer side Left/Right		
Description	Drawer side Left/Right	
	DBE.(^)AW.(°)	
1 B	Remarks:(^A):Nominal length:270/300/350/400/450/500/550 (⁸):Color: Matt white (MW) / Dark grey(DG)	


4.Front fixing brackets				
Description		Front fixing brackets		
Dowel	Screw	Dowel	Screw	
pp		DA1102E2.ZP	DA1102E1.ZP	

7.Square railing Left/Right		
Description	Square railing Left/Right	
	DA2101E1.(^).(*)	
	Remarks:(*):Nominal length:270/300/350/400/450/500/550 (*):Color: Matt white (MW) / Dark grey(DG)	


Space required



Cutting size NL: Nominal length



Runner Installation



Unihopper Unihopper -1.19--1.20-

INNER MAGIC BOX

► H80





Order information

H=80mm Magic box inner drawer components			
Item code		The complete set basic components includes	
Single door	Double doors	1.Plastic bracket Left/Rjght	
DA6104ES.040A.(^)	DA6104ED.040A.(^)	2.Inner front cover Left/Right	
DA6104ES.045A.(^)	DA6104ED.045A.(^)	3.Aluminium front panel	
DA6104ES.050A.(^)	DA6104ED.050A.(^)		
DA6104ES.055A.(^)	DA6104ED.055A.(^)		
DA6104ES.060A.(^)	DA6104ED.060A.(^)		
DA6104ES.080A.(^)	DA6104ED.080A.(^)		
DA6104ES.090A.(^)	DA6104ED.090A.(^)		
DA6104ES.100A.(^)	DA6104ED.100A.(^)		
DA6104ES.120A.(^)	DA6104ED.120A.(^)		
	•		

Product



Remarks: (^):Color: Matt white (MW) / Dark grey(DG)


Suitable for H=80mm inner drawer

1.Plastic bracket Left/Right		
Description	Plastic bracket Left/Rjght	
	DA6101E4.80.(^)	
•	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	


2.Inner front cover Left/Right		
Description	Inner front cover Left/Right DA6102E3.80.(*)	
	Remarks:(*):Color: Matt white (MW) / Dark grey(DG)	


3.Aluminium front panel		
Description	Aluminium front panel	
	DA6103E3.(^)A.(⁸)	
	Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*):Color: Matt white (MW) / Dark grey(DG)	

Cutting instruction





Installation instruction






Installation instruction









INNER MAGIC BOX

► H80





Order information

H=80mm Magic box inner drawer components		
Item code		The complete set basic components includes
Single door	Double doors	1.Plastic bracket Left/Rjght
DA6103ES.040A.(^)	DA6103ED.040A.(^)	2.Inner front cover Left/Right
DA6103ES.045A.(^)	DA6103ED.045A.(^)	3.Aluminium panel
DA6103ES.050A.(^)	DA6103ED.050A.(^)	4.Inner glass panel
DA6103ES.055A.(^)	DA6103ED.055A.(^)	
DA6103ES.060A.(^)	DA6103ED.060A.(^)	
DA6103ES.080A.(^)	DA6103ED.080A.(^)	
DA6103ES.090A.(^)	DA6103ED.090A.(^)	
DA6103ES.100A.(^)	DA6103ED.100A.(^)	
DA6103ES.120A.(^)	DA6103ED.120A.(^)	

Remarks: (^):Color: Matt white (MW) / Dark grey(DG)

Product



Suitable for H=80mm inner drawer

1.Plastic bracket Left/Right	
Description	 Plastic bracket Left/Rjght
	DA6101E4.80.(*)
•	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

2.Inner front cover Left/Right	
Description	Inner front cover Left/Right
	DA6102E3.80.(^a)
→ →	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)


3.Aluminium panel		
Description	Aluminium panel	
	DA6103E2.(^)A.(*)	
	Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*):Color: Matt white (MW) / Dark grey(DG)	


4.Inner glass panel		
Description	Inner glass panel	
	DA6105E1.(^)A.TR	
	Remarks:(^):Cabinet width:040/045/050/055/060/080/090/100/120	

Cutting instruction













Installation instruction









Unihopper Unihopper -1.21--1.22-

INNER MAGIC BOX

► H120





Order information

H=120mm Magic box inner drawer components			
Item code		The complete set basic components includes	
Single door	Double doors	1.Plastic bracket Left/Rjght	
DA6104ES.040B.(^A)	DA6104ED.040B.(^)	2.Inner front cover Left/Right	
DA6104ES.045B.(^)	DA6104ED.045B.(^)	3.Aluminium front panel	
DA6104ES.050B.(^)	DA6104ED.050B.(^)		
DA6104ES.055B.(^)	DA6104ED.055B.(^)		
DA6104ES.060B.(^)	DA6104ED.060B.(^)		
DA6104ES.080B.(^)	DA6104ED.080B.(^)		
DA6104ES.090B.(^)	DA6104ED.090B.(^)		
DA6104ES.100B.(^)	DA6104ED.100B.(^)		
DA6104ES.120B.(^)	DA6104ED.120B.(^)		
D 1			

Product



Remarks: (^):Color: Matt white (MW) / Dark grey(DG)


Suitable for H=120mm inner drawer

1.Plastic bracket Left/Right	
Description	Plastic bracket Left/Rjght
	DA6101E4.120.(^)
4.4	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)


2.Inner front cover Left/Right		
Description	Inner front cover Left/Right	
	DA6102E3.120.(^A)	
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	


3.Aluminium front panel		
Description	Aluminium front panel	
	DA6103E3.(^)A.(⁸)	
	Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*):Color: Matt white (MW) / Dark grey(DG)	

Cutting instruction





Installation instruction







Installation instruction









INNER MAGIC BOX

► H120





Order information

H=120mm Magic box inner drawer components			
Item code		The complete set basic components includes	
Single door	Double doors	1.Plastic bracket Left/Rjght	
DA6103ES.040B.(^)	DA6103ED.040B.(^)	2.Inner front cover Left/Right	
DA6103ES.045B.(^)	DA6103ED.045B.(^)	3.Aluminium panel	
DA6103ES.050B.(^)	DA6103ED.050B.(^)	4.Inner glass panel	
DA6103ES.055B.(^)	DA6103ED.055B.(^)		
DA6103ES.060B.(^)	DA6103ED.060B.(^)		
DA6103ES.080B.(^)	DA6103ED.080B.(^)		
DA6103ES.090B.(^)	DA6103ED.090B.(^)		
DA6103ES.100B.(^)	DA6103ED.100B.(^)		
DA6103ES.120B.(^)	DA6103ED.120B.(^)		

Product



Remarks: (^):Color: Matt white (MW) / Dark grey(DG)

Suitable for H=120mm inner drawer

1.Plastic bracket Left/Right	
Description	Plastic bracket Left/Rjght
Eti- al	DA6101E4.120.(^)
4	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)


	2.Inner front cover Left/Right		
	Description	Inner front cover Left/Right	
		DA6102E3.120.(*)	
		Remarks:(^):Color: Matt white (MW) / Dark grey(DG)	


3.Aluminium panel		
Description	Aluminium panel DA6103E2.(^)A.(^B)	
	Remarks:(*):Cabinet width:040/045/050/055/060/080/090/100/120 (*):Color: Matt white (MW) / Dark grey(DG)	


4.Inner glass panel		
Description	Inner glass panel	
	DA6105E1.(*)C.TR	
	Remarks:(^A):Cabinet width:040/045/050/055/060/080/090/100/120	

Cutting instruction













Installation instruction









Unihopper -1.23- Unihopper

INNER MAGIC BOX

► H170

▶ Inner aluminium panel



Order information

H=170mm Magic box inner drawer components		
Item code		The complete set basic components includes
Single door	Double doors	1.Plastic bracket Left/Rjght
DA6104ES.040C.(^)	DA6104ED.040C.(^)	2.Inner front cover Left/Right
DA6104ES.045C.(^)	DA6104ED.045C.(^)	3.Aluminium front panel
DA6104ES.050C.(^)	DA6104ED.050C.(^)	4.Inner aluminium bar
DA6104ES.055C.(^)	DA6104ED.055C.(^)	
DA6104ES.060C.(^)	DA6104ED.060C.(^)	
DA6104ES.080C.(^)	DA6104ED.080C.(^)	
DA6104ES.090C.(^)	DA6104ED.090C.(^)	
DA6104ES.100C.(^)	DA6104ED.100C.(^)	
DA6104ES.120C.(^)	DA6104ED.120C.(^)	

Product



Remarks: (^):Color: Matt white (MW) / Dark grey(DG)

Suitable for H=170mm inner drawer


1.Plastic bracket Left/Right	
Description	 Plastic bracket Left/Rjght
	DA6101E4.170.(^)
	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)


2.Inner front cover Left/Right	
Description	Inner front cover Left/Right DA6102E3.170.(^)
	Remarks:(*):Color: Matt white (MW) / Dark grey(DG)


3.Aluminium front panel	
Description	Aluminium front panel
	DA6103E3.(^)A.(⁸)
	Remarks:(°):Cabinet width:040/045/050/055/060/080/090/100/120 (°):Color: Matt white (MW) / Dark grey(DG)


.Inner aluminium bar		
escription	Inner aluminium bar	
	DA6104E2.(^)C.(*)	
-	Remarks:('):Cabinet width:040/045/050/055/060/080/090/100/120 ([®]):Color: Matt white (MW) / Dark grey(DG)	


Cutting instruction















Installation instruction









INNER MAGIC BOX

► H170

▶ Inner glass and aluminium panel



Order information

H=170mm Magic box inner drawer components			
Item code		The complete set basic components includes	
Single door	Double doors	1.Plastic bracket Left/Rjght	
DA6103ES.040C.(^)	DA6103ED.040C.(^)	2.Inner front cover Left/Right	
DA6103ES.045C.(^)	DA6103ED.045C.(^)	3.Aluminium panel	
DA6103ES.050C.(^)	DA6103ED.050C.(^)	4.Inner glass panel	
DA6103ES.055C.(^)	DA6103ED.055C.(^)		
DA6103ES.060C.(^)	DA6103ED.060C.(^)		
DA6103ES.080C.(^)	DA6103ED.080C.(^)		
DA6103ES.090C.(^)	DA6103ED.090C.(^)		
DA6103ES.100C.(^)	DA6103ED.100C.(^)		
DA6103ES.120C.(^)	DA6103ED.120C.(^)		





Remarks: (^):Color: Matt white (MW) / Dark grey(DG)

3.Aluminium panel

Description

Suitable for H=170mm inner drawer

emarks:(^h):Cabinet width:040/045/050/055/060/080/090/100/120 (^a):Color: Matt white (MW) / Dark grey(DG)


1.Plastic bracket Left/Right		2.Inner front cover Left/Right	
Description	Plastic bracket Left/Rjght	Description	Inner front cover Left/Right
	DA6101E4.170.(^)		DA6102E3.170.(^)
9.	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)		Remarks:(^):Color: Matt white (MW


<u> </u>	Remarks:(^):Color: Matt white (MW) / Dark grey(DG)
4.Inner glas	s panel
Description	Inner glass panel
	DA6105E1.(^)C.TR
	Remarks:(^):Cabinet width:040/045/050/055/060/080/090/100/120


Cutting instruction

Aluminium panel DA6103E2.(A)A.(B)













Installation instruction









Unihopper Unihopper -1.25--1.26-



MAGIC BOX OF SINK

► H80



Order information


<u> </u>	<u>Older iiii Oliiidtioii</u>				
H=80mi	H=80mm Magic box of sink drawer components				
Nominal length	Item code	The complete set basic components includes			
350	DA5102E1.(^)A3.(8)	1.Steel under sink			
400	DA5102E1.(^)A4.(°)				
450	DA5102E1.(^)A5.(°)				
500	DA5102E1.(^)A6.(°)				
550	DA5102E1.(^)A7.(8)				






Remarks: (^):Cabinet width:060/080/090/100/120mm (^):Color: Matt white (MW) / Dark grey(DG) The minimum height for the under sink drawer is 115mm.


Cutting size -16mm bottom panel



Thickr	Thickness of cabinet side panel 18mm									
Cabinet width	600mm		800mm 900mm		1000mm		1200mm			
Nominal length	Α	В	Α	В	Α	В	Α	В	Α	В
350mm	247mm	273mm	247mm	273mm			447mm	273mm	647mm	273mm
400mm	277mm	253mm	477mm	253mm	577mm	253mm	577mm	253mm	777mm	253mm
450mm	277mm	303mm	477mm	303mm	577mm	303mm	577mm	303mm	777mm	303mm
500mm	277mm	353mm	477mm	353mm	577mm	353mm	577mm	353mm	777mm	353mm
550mm	277mm	403mm	477mm	403mm	577mm	403mm	577mm	403mm	777mm	403mm

Installation instruction








INSTALLATION INSTRUCTION


► LED Magic box

H=80mm Installation instruction













H=120mm Installation instruction













H=170mm Installation instruction










Front fixing brackets positions




Installation instruction









Back panel mounting





Back panel mounting


Installation instruction




























Unihopper Unihopper -1.29--1.30-


INSTALLATION INSTRUCTION


► Magic box

H=80mm Installation instruction













H=120mm Installation instruction













H=170mm Installation instruction













H=170mm Installation of square railing











Installation instruction





Back panel adapter mounting





Bottom panel mounting





















Unihopper Unihopper -1.31--1.32-


INSTALLATION INSTRUCTION


STEEL BACK PANEL

























H=170mm Installation of square railing















Remarks: (*):Cabinet Width:040/045/050/055/060/090/100/120 (*):Color: Matt white (MW) / Dark grey(DG)

Installation of steel back panel





H=120mm Steel back panel			
Description	H=120mm Steel back panel DA1104E.(^)B.(^)		

H=170mm S	H=170mm Steel back panel			
Description	H=170mm Steel back panel DA1104E.(^)C.(*)			

ANTI-SLIP MAT



(*):Cabinet Width:040/045/050/055/060/090/100/120mm (*):Nominal length:1=270/2=300/3=350/4=400/5=450/6=500/7=550mm

Big granulous anti-slip mat				
Description	Big granulous anti-slip mat			
F3455541111	DA1105C3.(^)(*).GR			

emarks:

(^):Cabinet Width:040/045/050/055/060/090/100/120mm

(⁸):Nominal length:1=270/2=300/3=350/4=400/5=450/6=500/7=550mm

STEEL DIVIDER SYSTEM



STAINLESS STEEL DIVIDER SYSTEM





Steel divider system

- -High quality steel panel, durable in use
- -Perfect function of drawer
- -Fashionable, beautiful and modern
- -Freely assembling with two heights:50mm & 100mm

50mm steel divider system


50mm steel divider system					
Description	Nominal length	Size	Item code		
	270 mm	244X100/244X200	DA3401E1.270.(^)/DA3401E2.270.(^)		
\mathcal{I}	300 mm	274X100/274X200	DA3401E1.300.(^)/DA3401E2.300.(^)		
M	350 mm	324X100/324X200	DA3401E1.350.(^)/DA3401E2.350.(^)		
	400 mm	374X100/374X200	DA3401E1.400.(^)/DA3401E2.400.(^)		
	450 mm	424X100/424X200	DA3401E1.450.(^)/DA3401E2.450.(^)		
	500mm	474X100/474X200	DA3401E1.500.(^)/DA3401E2.500.(^)		
	550 mm	524X100/524X200	DA3401E1.550.(^)/DA3401E2.550.(^)		
		242X270	DA3401E3.(^)		
		W=100	DA3401E1.D.(^)		
		W=200	DA3401E2.D.(^)		
		W=270	DA3401E3.D.(^)		


100mm steel divider system

	el divider sys		
Description	Size	Item code	
-	218X370	DA3402E1.(^)	
1	242X270	DA3402E2.(^)	
4			
	D=206	DA3402E1.D.(^)	
	D=230	DA3402E2.D.(^A)	


(A):Color: Matt white (MW) / Dark grey(DG)


H=50mm steel divider system(Suitable for H=80/120mm drawer)





H=100mm steel divider system with magnet(Suitable for H=120/170mm drawer)





- -Scientifically and reasonably dividing the internal space

with magnet

for L 400mm

Stainless steel divider box


Length

202 mm

270 mm

320 mm

Description




for L 450mm

Stainless steel divider box

DA3301C1.202.SS

DA3301C1.270.SS DA3301C1.303.SS

DA3301C1.320.SS



Aluminum divider components

DA3103C1.324.(^)

DA3103C1.374.(^)

DA3103C1.424.(^)

DA3103C1.474.(^)

Remarks:(A):Color: Matt white (MW) / Dark grey(DG)

Assembly solution Assembly solution I Assembly solution I for L 500mm for L 500mm

Stainless steel divider system

-Used high quality stainless steel material

-More functional drawer system


Aluminum divider components


Length

324 mm


-Fashional and modern


-Humanity design with utility internal space







Assembly solution I Assembly solution II for L 550mm for L 550mm









Unihopper

-1.35-

-1.36-

Unihopper

ALUMINIUM DIVIDER SYSTEM





Aluminium divider system

- -High quality aluminium material, durable in use
- -Scientifically and reasonably dividing the internal space
- -Perfect function of drawer
- -Fashionable, beautiful and modern
- -Full range of size for freely assembling

Cabinet width:400mm



Nominal length	Item code	Size	
450mm	DA3104E.0405.(^A)	424*323	
500mm	DA3104E 0406 (A)	171*323	

Remarks:(A):Color: Matt white (MW) / Dark grey(DG)


Cabinet width:500mm




Nominal length	Item code	Size
450mm	DA3104E.0505.(^A)	424*423
500mm	DA3104E.0506.(^A)	474*423

Remarks:(A):Color: Matt white (MW) / Dark grey(DG)

Cabinet width:800mm




Cabinet width:450mm



Remarks:(A):Color: Matt white (MW) / Dark grey(DG)


Cabinet width:600mm



Nominal length	Item code	Size
450mm	DA3104E.0605.(^A)	424*523
500mm	DA3104E.0606.(^A)	474*523


Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

Cabinet width:900mm




Remarks:(^):Color: Matt white (MW) / Dark grey(DG)

Cabinet width:1000mm




Remarks:(:):Color: Matt	white (MW)	/ Dark grey(DG)

Cabinet width:1200mm



Remarks:(A):Color: Matt white (MW) / Dark grey(DG)





Remarks:(A):Color: Matt white (MW) / Dark grey(DG) Unihopper Unihopper -1.37--1.38-

WOODEN KNIFE AND FORK SET OF MAGIC BOX



SQUARE BAR DIVIDER SYSTEM



Wooden knife and fork set of magic box

- -Wooden Material: Solid beech
- -Mocca and White Material: MDF
- -Free adjustment 450mm~650mm, 800mm~1200mm
- -Color: Wooden (WD) / Mocca(MCA)

150-650mm wooden knife and fork set of magic box				
Description	450-650mm wooden knife and fork set of magic box		Item code	
	Cabinet width:450-650mm Nominal length:450mm		DA3201C1.0655.(^A)	
	Cabinet width:450-650mm	Nominal length:500mm	DA3201C1.0656.(⁴)	

Remarks: (^):Color: White (WT) / Wooden(WD)/Mocca(MCA)

Description	800-120mm wooden knife and fork set of magic box		Item code
	Cabinet width:800-1200mm	Nominal length:450mm	DA3201C1.1205.(^A)
	Cabinet width:800-1200mm	Nominal length:500mm	DA3201C1.1206.(^)

Remarks: (^):Color: White (WT) / Wooden(WD)/Mocca(MCA)

Square bar divider system

- -High quality steel material, eco-friendly plastic material, durable in use
- -Space adjustment at will, scientifically and reasonably dividing the internal space
- -Perfect function of drawer
- -Fashionable, beautiful and modern
- -Applicable for 80mm/120mm/170mm standard and inner Magic box
- -Applicable for higher Unibox with railing, P2.39

Long square bar divider

• .		
Long square	bar divider(M	aximum length 2800mm,cuttable)
Description	Cabinet width	Item code
	400 mm	DA3101E1.040.(^)
	450 mm	DA3101E1.045.(^A)
	500 mm	DA3101E1.050.(^)
	600 mm	DA3101E1.060.(^)
	900 mm	DA3101E1.090.(^A)
	1000mm	DA3101E1.100.(^)
	1200 mm	DA3101E1.120.(^A)
FS.		DA3101E3.(^A)

Short divider

Short divider	
Description	Item code
	DA3101E2.(^)
Remarks:(A):Colo	r: Matt white (MW) / Dark grey(DG)


Short divider


Short divider Description Item code DA3101E4.(^)


Remarks:(A):Color: Matt white (MW) / Dark grey(DG)

Remarks:(A):Color: Matt white (MW) / Dark grey(DG)


Installation of the long square bar divider -applicable for standard or higher magic box









Installation of the long square bar divider -applicable for standard or higher magic box







Unihopper -1.40- Unihopper

ASSEMBLING BENCH FOR MAGIC BOX BOTTOM PANEL



ASSEMBLING FIXTURE FOR FRONT PANEL







Assembling bench for magic box Bottom panel


- -Applicable for Magic box bottom panel
- -Assembling bracket can adjust width and height
- -Make the assembling of bottom panel simple

Assembling bench for magic box bottom panel Description Item code DA7101E1


Assemble the bench









Aseemble the bottom panel










Assembling fixture for front panel


- -Applicable for Magic box, Unibox and Drawer box
- -Make the assembling of front panel simple

Assembling fixture for front panel		
Description	Item code	
	DA7101E2	

Instruction of the holes




Holes in line A is used standard and high Drawer box Holes in line B is used for standard and high Magic box Holes in line C is used for standard and high Unibox




A1 & A2 are used to drill the holes for front brackets of H80mm drawer box

A3 is used to drill the holes for railings of H130mm drawer box A4 is used to drill the holes for railings of H190mm drawer box





- B1 & B2 are used to drill the holes for front brackets of
- H80mm&120mm Magic box
 B3&B4 is used to drill the holes for the front brackets of
 H70MM Magic box
- B5&B6 are used to drill the holes for the railings of H170mm Magic box




- C1 & C2 are used to drill the holes for front brackets of H80mm Unibox
- C5&C3 are used to drill the holes for the glass panel of H130mm Unibox
- C5&C4 are used to drill the holes for the railings of
- H130mm Unibox C5,C6,C7&C8 are used to drill the holes for double railings of H190mm Unibox
- CTASCR are used to drill the holes for the single railings of
- H190mm Unibox

Sample







panel (horizontal ruler close to the left side of the front panel, vertical ruler close to the bottom of front panel), then mark the holes of A1, A2&A3 and drill the holes accordingly.

Use the right fixture on the right side of front panel in the same way.

Put the assembling fixture on the front

Unihopper -1.42- Unihopper



UNIBOX

Unihopper












Full extension with self closing and soft closing

- Steel drawer side H=80mm
- Synchronized concealed slide
- Epoxy coated
- Load capacity of 35kgs
- Smooth rolling mechanism
- Quick assembly
- $\mbox{\rm Up}$ and $\mbox{\rm down}$, left and right , 4 dimensional adjustment
- Mat: ste

Space required





Order information

H80mm Deluxe Unibox		
Nominal	Front fixing bracket Left/Right	The complete set basic components includes
length	Metal	1.Concealed runners Left/Right
270 mm	DBD1.270A.(^)	2.Drawer side Left/Right
300 mm	DBD1.300A.(^)	3.Plastic covers 1*2pcs
350 mm	DBD1.350A.(^)	4.Back panel adapters Left/Right
400 mm	DBD1.400A.(^)	5.Front fixing brackets 1*2pcs
450 mm	DBD1.450A.(^)	
500 mm	DBD1.500A.(^)	
550 mm	DBD1.550A.(^)	

Remarks: (^):Color: White (WT) /Dark grey(DG)

Product breakdown drawing








3.Plastic cov	ers
Description	Plastic covers
	DA1101D1.(^A)
	Remarks:(^):Color: White (WT) / Dark grey(DG)


4.Back panel adapters Left/Right		
Description	Back panel adapters Left/Right	
m R	DA1103D1.80.(^)	
11 图	Remarks:(^):Color: White (WT) / Dark grey(DG)	

5.Front fixing brackets Left/Right		
Description	Front fixing brackets Left/Right	
Metal (32mm)	Metal	
	DA1102D1.ZP	

Cutting size



Runner Installation




- ► H130
- ► Glass side high panel



Full extension with self closing and soft closing

- Steel drawer side H=130mm
- Synchronized concealed slide
- Epoxy coated
- Load capacity of 35kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment
- Mat: ste

Space required




Order information

H130mm Deluxe Unibox		
Nominal	Front fixing bracket Left/Right	The complete set basic components includes
length	Metal	1.Concealed runners Left/Right
270 mm	DBD1.270DB1.(^)	2.Drawer side Left/Right
300 mm	DBD1.300DB1.(^)	3.Plastic covers 1*2pcs
350 mm	DBD1.350DB1.(^)	4.Back panel adapters Left/Right
400 mm	DBD1.400DB1.(^)	5.Front fixing brackets 1*2pcs
450 mm	DBD1.450DB1.(^)	6.Glass side high panel (left / right)
500 mm	DBD1.500DB1.(^)	
550 mm	DBD1.550DB1.(^)	

Remarks: (^):Color: White (WT)/Dark grey(DG)

Product breakdown drawing

















3.Plastic covers	
Description	Plastic covers
DA1101D1.(^)	
	Remarks:(^):Color: White (WT) / Dark grey(DG)
4.Back panel adapters Left/Right	
Description	Back panel adapters Left/Right
	DA1103D1.130.(^A)
1 1 1	Remarks:(A):Color: White (WT) / Dark grev(DG)






Cutting size



Runner Installation



Unihopper -2.3- Unihopper

► H130


► Glass side high panel with LED lighting



Full extension with self closing and soft closing

- Steel drawer side H=130mm
- Synchronized concealed slide
- Epoxy coated
- Load capacity of 35kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment

Space required




Order information

H130mm Deluxe Unibox		
Nominal	Front fixing bracket Left/Right	The complete set basic components includes
length	Metal	1.Concealed runners Left/Right
270 mm	DBD1.270DB2.(^)	2.Drawer side Left/Right
300 mm	DBD1.300DB2.(^)	3.Plastic covers 1*2pcs
350 mm	DBD1.350DB2.(^)	4.Back panel adapters Left/Right
400 mm	DBD1.400DB2.(^)	5.Front fixing brackets 1*2pcs
450 mm	DBD1.450DB2.(^)	6.Glass heighten components with LED light (left / right)
500 mm	DBD1.500DB2.(^)	
550 mm	DBD1.550DB2.(^)	

Remarks: (^):Color: White (WT) /Dark grey(DG)

Product breakdown drawing

















3.Plastic covers	
Description	Plastic covers
	DA1101D1.(^)
	Remarks:(^):Color: White (WT) / Dark grey(DG)
4.Back panel adapters Left/Right	
Description	Back panel adapters Left/Right
£ An	
110 111	DA1103D1.130.(^)


5.Front fixing brackets Left/Right		
Description	Front fixing brackets Left/Right	
Metal (32mm)	Metal	
	DA1102D1.ZP	



Cutting size



Runner Installation



Unihopper Unihopper -2.5--2.6-


- ► H130
- ▶ ► Steel side high panel



Full extension with self closing and soft closing

- Steel drawer side H=130mm
- Synchronized concealed slide
- Epoxy coated
- Load capacity of 35kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment

Space required




Order information

H130mm Deluxe Unibox		
Nominal	Front fixing bracket Left/Right	The complete set basic components includes
length	Metal	1.Concealed runners Left/Right
270 mm	DBD1.270DB3.(^)	2.Drawer side Left/Right
300 mm	DBD1.300DB3.(^)	3.Plastic covers 1*2pcs
350 mm	DBD1.350DB3.(^)	4.Back panel adapters Left/Right
400 mm	DBD1.400DB3.(^)	5.Front fixing brackets 1*2pcs
450 mm	DBD1.450DB3.(^)	6.Steel side high panel (left / right)
500 mm	DBD1.500DB3.(^)	
550 mm	DBD1.550DB3.(^)	

Remarks: (^):Color: White (WT) /Dark grey(DG)


Product breakdown drawing

















5.Front fixing brackets Left/Right		
Description	Front fixing brackets Left/Right	
Metal (32mm)	Metal	
	DA1102D1.ZP	



Cutting size



Runner Installation



Unihopper -2.8-Unihopper -2.7-

► H130


▶ ▶ Drawing bar



Full extension with self closing and soft closing

- Steel drawer side H=130mm
- Synchronized concealed slide
- Epoxy coated
- Load capacity of 35kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment
- Mat: steel

Space required




Order information

H130mm Deluxe Unibox		
Nominal	Front fixing bracket Left/Right	The complete set basic components includes
length	Metal	1.Concealed runners Left/Right
270 mm	DBD1.270DB4.(^)	2.Drawer side Left/Right
300 mm	DBD1.300DB4.(^)	3.Plastic covers 1*2pcs
350 mm	DBD1.350DB4.(^)	4.Back panel adapters Left/Right
400 mm	DBD1.400DB4.(^A)	5.Front fixing brackets 1*2pcs
450 mm	DBD1.450DB4.(^)	6.Drawing bar(left/right)
500 mm	DBD1.500DB4.(^)	
550 mm	DBD1.550DB4.(^)	

Remarks: (^):Color: White (WT) /Dark grey(DG)


Product breakdown drawing


















5.Front fixing brackets Left/Right		
Description	Front fixing brackets Left/Right	
Metal (32mm)	Metal	
	DA1102D1.ZP	



Cutting size



Runner Installation



Unihopper Unihopper -2.9--2.10-


- ► H190
- ► Glass side high panel



Full extension with self closing and soft closing

- Steel drawer side H=190mm
- Synchronized concealed slide
- Epoxy coated
- Load capacity of 35kgs
- Smooth rolling mechanism
- Quick assembly
- -Up and down , left and right , 4 dimensional adjustment
- Mat: steel

Space required




Order information

H190mm Deluxe Unibox		
Nominal	Front fixing bracket Left/Right	The complete set basic components includes
length	Metal	1.Concealed runners Left/Right
270 mm	DBD1.270DC1.(^)	2.Drawer side Left/Right
300 mm	DBD1.300DC1.(^)	3.Plastic covers 1*2pcs
350 mm	DBD1.350DC1.(^)	4.Back panel adapters Left/Right
400 mm	DBD1.400DC1.(^)	5.Front fixing brackets 1*2pcs
450 mm	DBD1.450DC1.(^)	6.Glass side high panel (left / right)
500 mm	DBD1.500DC1.(^)	
550 mm	DBD1.550DC1.(^)	

Remarks: (^):Color: White (WT) /Dark grey(DG)

Product breakdown drawing


















J.Flastic covers	
Description	Plastic covers
	DA1101D1.(^)
	Remarks:(^):Color: White (WT) / Dark grey(DG)
4.Back panel adapters Left/Right	
Description Back panel adapters Left/Right	
	DA1103D1.190.(^)


5.Front fixing brackets Left/Right		
Description	Front fixing brackets Left/Right	
Metal (32mm)	Metal	
	DA1102D1.ZP	



Cutting size



Runner Installation



Unihopper Unihopper -2.11--2.12-

► H190


► Glass side high panel with LED lighting



Full extension with self closing and soft closing

- Steel drawer side H=190mm
- Synchronized concealed slide
- Epoxy coated
- Load capacity of 35kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment
- Mat: ste

Space required




Order information

H190mm Deluxe Unibox		
Nominal	Front fixing bracket Left/Right	The complete set basic components includes
length	Metal	1.Concealed runners Left/Right
270 mm	DBD1.270DC2.(^)	2.Drawer side Left/Right
300 mm	DBD1.300DC2.(^)	3.Plastic covers 1*2pcs
350 mm	DBD1.350DC2.(^)	4.Back panel adapters Left/Right
400 mm	DBD1.400DC2.(^)	5.Front fixing brackets 1*2pcs
450 mm	DBD1.450DC2.(^)	6.Glass heighten components with LED light (left / right)
500 mm	DBD1.500DC2.(^)	
550 mm	DBD1.550DC2.(^)	

Remarks: (^):Color: White (WT) /Dark grey(DG)

Product breakdown drawing















2.Drawer side Left/Right		
Description	Drawer side Left/Right	
	DBD.(^)AW.(⁸)	
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (*):Color: White (WT) / Dark grey(DG)	

0.1 143110 00	VC15
Description	Plastic covers
/3/	DA1101D1.(^)
	Remarks:(^):Color: White (WT) / Dark grey(DG)
4.Back pane	el adapters Left/Right
Description	Back panel adapters Left/Right
TA D	DA1103D1.190.(^)
	Remarks:(A):Color: White (WT) / Dark grev(DG)


5.Front fixing brackets Left/Right		
Description	Front fixing brackets Left/Right	
Metal (32mm)	Metal	
	DA1102D1.ZP	



Cutting size



Runner Installation



Unihopper -2.13- Unihopper

► H190


▶ ► Steel side high panel



Full extension with self closing and soft closing

- Steel drawer side H=190mm
- Synchronized concealed slide
- Epoxy coated
- Load capacity of 35kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment

Space required




Order information

H190mm Deluxe Unibox		
Nominal length	Front fixing bracket Left/Right	The complete set basic components includes
	Metal	1.Concealed runners Left/Right
270 mm	DBD1.270DC3.(^)	2.Drawer side Left/Right
300 mm	DBD1.300DC3.(^a)	3.Plastic covers 1*2pcs
350 mm	DBD1.350DC3.(^)	4.Back panel adapters Left/Right
400 mm	DBD1.400DC3.(^A)	5.Front fixing brackets 1*2pcs
450 mm	DBD1.450DC3.(^)	6.Steel side high panel (left / right)
500 mm	DBD1.500DC3.(^)	
550 mm	DBD1.550DC3.(^)	

Remarks: (^):Color: White (WT) /Dark grey(DG)

Product breakdown drawing

















3.Plastic covers	
Description	Plastic covers
	DA1101D1.(^)
	Remarks:(A):Color: White (WT) / Dark grey(DG)
1 Book pop	al adaptora Laft/Dight
4.Баск рап	el adapters Left/Right
Description	Back panel adapters Left/Right
Ma it	DA1103D1.190.(^)
	Remarks:(A):Color: White (WT) / Dark grev(DG)






Cutting size



Runner Installation



Unihopper Unihopper -2.15--2.16-

► H190


▶ Double drawing bars



Full extension with self closing and soft closing

- Steel drawer side H=190mm
- Synchronized concealed slide
- Epoxy coated
- Load capacity of 35kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment

Space required




Order information

H190mm Deluxe Unibox		
Nominal	Front fixing bracket Left/Right	The complete set basic components includes
length	Metal	1.Concealed runners Left/Right
270 mm	DBD1.270DC4.(^)	2.Drawer side Left/Right
300 mm	DBD1.300DC4.(^)	3.Plastic covers 1*2pcs
350 mm	DBD1.350DC4.(^)	4.Back panel adapters Left/Right
400 mm	DBD1.400DC4.(^)	5.Front fixing brackets 1*2pcs
450 mm	DBD1.450DC4.(^)	6.Double drawing bars(left/right)
500 mm	DBD1.500DC4.(^)	7.Middle drawing bar(Left/Right)
550 mm	DBD1.550DC4.(^)	

Remarks: (^):Color: White (WT) /Dark grey(DG)

Product breakdown drawing


















Description	Plastic covers
/3/1	DA1101D1.(^a)
	Remarks:(^):Color: White (WT) / Dark grey(DG)
4.Back pane	el adapters Left/Right
Description	Back panel adapters Left/Right
N D	DA1103D1.190.(^)
414 14	Remarks:(A):Color: White (WT) / Dark grev(DG)









Cutting size

3.Plastic covers



Runner Installation



Unihopper -2.17--2.18-

► H190


▶ Drawing bars



Full extension with self closing and soft closing

- Steel drawer side H=190mm
- Synchronized concealed slide
- Epoxy coated
- Load capacity of 35kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment

Space required




Order information

H190mm Deluxe Unibox			
Nominal	Front fixing bracket Left/Right	The complete set basic components includes	
length	Metal	1.Concealed runners Left/Right	
270 mm	DBD1.270DC5.(^)	2.Drawer side Left/Right	
300 mm	DBD1.300DC5.(^)	3.Plastic covers 1*2pcs	
350 mm	DBD1.350DC5.(^)	4.Back panel adapters Left/Right	
400 mm	DBD1.400DC5.(^)	5.Front fixing brackets 1*2pcs	
450 mm	DBD1.450DC5.(^A)	6.Drawing bars(left/right)	
500 mm	DBD1.500DC5.(^)		
550 mm	DBD1.550DC5.(^)		

Remarks: (^):Color: White (WT) /Dark grey(DG)

Product breakdown drawing















2.Drawer side Left/Right		
Description	Drawer side Left/Right	
	DBD.(^)AW.(⁸)	
	Remarks:(^):Nominal length:270/300/350/400/450/500/550 (^s):Color: White (WT) / Dark grey(DG)	








Cutting size



Runner Installation



Unihopper Unihopper -2.19--2.20-

DRAWER BOX


- ► H80
- ► Single extension



Single extension with self closing and soft closing

- Steel drawer side H=80mm
- Synchronized slide
- Epoxy coated
- Load capacity of 25kg
- Smooth rolling mechanism
- Quick assembly
- Up and down, left and right, 4 dimensional adjustment

Space required




Order information

H=80mm single extension Drawer box		
Nominal	Front fixing bracket left/right	The complete set basic components includes
length	Screw	1.Concealed runners left/right
270 mm	DBEA1.270A.(^)	2.Drawer side left/right
300 mm	DBEA1.300A.(^)	3.Plastic covers 1*2pcs
350 mm	DBEA1.350A.(^)	4.Back panel adapters left/right
400 mm	DBEA1.400A.(^)	5.Front fixing brackets(dowel or screw) 1*2pcs
450 mm	DBEA1.450A.(^)	
500 mm	DBEA1.500A.(^)	
550 mm	DBEA1.550A.(^)	

Remarks: (^):Height:A=80mm/B=130mm/C=190mm (^9):Color: White (WT) /Silver(SV)

★ The higher components of full extension drawer box are fit for singel-extension type

Product breakdown drawing




















4.Back panel adapters left/right	
Description Back panel adapters left/right	
A M	DA1103C1.80.(^)
	Remarks:(^):Color: White (WT) / Silver(SV)

5.Front fixing brackets left/right		
Description	Front fixing brackets left/right	
Screw(32mm)	Screw	
	DA1102C4	

Cutting size



Runner Installation





Unihopper Unihopper -2.21--2.22-


INSTALLATION INSTRUCTION




H=80mm installation instruction













H=130mm installation instruction of drawing bars













H=130mm installation instruction of side high glass panel













H=190mm installation instruction of drawing bars













H=190mm installation instruction of side high glass panel













Drawer installation instruction























Back panel mounting




Bottom panel mounting

Drawer mounting









Unihopper -2.24- Unihopper


INSTALLATION INSTRUCTION








H=130/190mm Installation instruction of side high glass panel







H=130/190mm Installation instruction of LED light







Drawer mounting










Sensor fixing







Replacing the battery






H=130/190mm Installation instruction of drawing bar





H=190mm installation instruction of bars



Unihopper -2.25- Unihopper

INNER UNIBOX

► H80



Design The Installation

Order information

The complete set basic components includes
1.Plastic bracket Left/Right
2.Inner front cover Left/Right
3.Aluminium front panel

Product



Remarks: (^):Color: White (WT) / Dark grey(DG)

Suitable for H=80mm inner drawer

1.Plastic bracket Left/Right		
Description	Plastic bracket Left/Right	
	DA6101D4.80.(^)	
4.	Remarks: (A):Color: White (WT) / Dark grey(DG)	


2.Inner front cover Left/Right		
Description	Inner front cover Left/Right	
	DA6104D1.80.(^a)	
	Remarks: (^):Color: White (WT) / Dark grey(DG)	


3.Aluminium front panel		
Description Aluminium front panel		
	DA6102D4.(^)A.(⁸)	
	Remarks: (^);Cabinet width: 040/045/050/055/060/080/090/100/120 (0);Color: White (WT) / Dark grey(DG)	

Cutting instruction





Installation instruction






Installation instruction









INNER UNIBOX

► H80





Order information

H=80mm Unibox inner drawer components		
Item code		The complete set basic components includes
Single door	Double door	1.Plastic bracket Left/Right
DA6105DS.040A.(^)	DA6105DD.040A.(^)	2.Inner front cover Left/Right
DA6105DS.045A.(^)	DA6105DD.045A.(^)	3.Aluminium panel
DA6105DS.050A.(^)	DA6105DD.050A.(^)	4.Inner glass panel
DA6105DS.055A.(^)	DA6105DD.055A.(^)	
DA6105DS.060A.(^)	DA6105DD.060A.(^)	
DA6105DS.080A.(^)	DA6105DD.080A.(^)	
DA6105DS.090A.(^)	DA6105DD.090A.(^)	
DA6105DS.100A.(^)	DA6105DD.100A.(^)	
DA6105DS.120A.(^)	DA6105DD.120A.(^)	

Remarks: (^):Color: White (WT) / Dark grey(DG)

Product



Suitable for H=80mm inner drawer


1.Plastic bracket Left/Right		
Description	Plastic bracket Left/Right	
	DA6101D5.80.(^)	
4.	Remarks: (^):Color: White (WT) / Dark grey(DG)	


2.Inner front cover Left/Right	
Description	Inner front cover Left/Right
	DA6104D1.80.(*)
→ □	Remarks: (^):Color: White (WT) / Dark grey(DG)


3.Aluminium panel		
Description	Aluminium panel	
	DA6102D5.(^)A.(*)	
	Remarks : (*):Cabinet width: 040/045/050/055/060/080/090/100/120 (*):Color: White (WT) / Dark grey(DG)	

4.Inner glass panel	
Description	Inner glass panel
	DA6103D2.(^)A.GB
	Remarks: (^):Cabinet width: 040/045/050/055/060/080/090/100/120 Glass size:(131°,)*(8±0.2)*(L°,) L=LW-110


Cutting instruction









Installation instruction









Unihopper -2.28- Unihopper

INNER UNIBOX

► H190

▶ Inner aluminium panel



Order information

H=190mm Unibox inner drawer components		
	The complete set basic components includes	
Double door	1.Plastic bracket Left/Right	
DA6104DD.040C.(^)	2.Inner front cover Left/Right	
DA6104DD.045C.(^)	3.Aluminium front panel	
DA6104DD.050C.(^)	4.Inner aluminium bar	
DA6104DD.055C.(^)		
DA6104DD.060C.(^)		
DA6104DD.080C.(^)		
DA6104DD.090C.(^)		
DA6104DD.100C.(^)		
DA6104DD.120C.(^)		
	Double door DA6104DD.040C.(^) DA6104DD.05C.(^) DA6104DD.055C.(^) DA6104DD.060C.(^) DA6104DD.080C.(^) DA6104DD.090C.(^) DA6104DD.090C.(^)	

Product



(^):Color: White (WT) / Dark grey(DG)

Suitable for H=190mm inner drawer

1.Plastic bracket Left/Right	
Description	 Plastic bracket Left/Right
	DA6101D4.190.(*)
4: - 4	Remarks: (A):Color: White (WT) / Dark grey(DG)


2.Inner front cover Left/Right	
Description	Inner front cover Left/Right
	DA6104D1.190.(^A)
	Remarks: (A):Color: White (WT) / Dark grey(DG)


3. Aluminium front panel	
Description	Aluminium front panel
	DA6102D4.(^)A.(⁸)
	Remarks: (^):Cabinet width: 040/045/050/055/060/080/090/100/120 (^a):Color: White (WT) / Dark grey(DG)


1.Inner aluminium bar		
Description	Inner aluminium bar	
	DA6102D5.(^)C.(*)	
3	Remarks: (^):Cabinet width: 040/045/050/055/060/080/090/100/120 (*):Color: White (WT) / Dark grey(DG)	


Cutting instruction















Installation instruction









INNER UNIBOX

► H190





Order information

H=190mm Unibox inner drawer components		
Item code		The complete set basic components includes
Single door	Double door	1.Plastic bracket Left/Right
DA6105DS.040C.(^)	DA6105DD.040C.(^)	2.Inner front cover Left/Right
DA6105DS.045C.(^)	DA6105DD.045C.(^)	3.Aluminium panel
DA6105DS.050C.(^)	DA6105DD.050C.(^)	4.Inner glass panel
DA6105DS.055C.(^)	DA6105DD.055C.(^)	
DA6105DS.060C.(^)	DA6105DD.060C.(^)	
DA6105DS.080C.(^)	DA6105DD.080C.(^)	
DA6105DS.090C.(^)	DA6105DD.090C.(^)	
DA6105DS.100C.(^)	DA6105DD.100C.(^)	
DA6105DS.120C.(^)	DA6105DD.120C.(^)	

Remarks: (^):Color: White (WT) / Dark grey(DG)

Product



Suitable for H=190mm inner drawer


1.Plastic bra	1.Plastic bracket Left/Right	
Description	Plastic bracket Left/Right	
	DA6101D5.190.(*)	
	Remarks: (^):Color: White (WT) / Dark grey(DG)	


2.Inner front	t cover Left/Right
Description	Inner front cover Left/Right
	DA6104D1.190.(^)
4 4	Remarks: (^):Color: White (WT) / Dark grey(DG)

3.Aluminium panel	
Description	Aluminium panel
	DA6102D5.(^)A.(⁸)
	Remarks: (^):Cabinet width: 040/045/050/055/060/080/090/100/120 (*):Color: White (WT) / Dark grey(DG)


4.Inner glass panel	
Description	Inner glass panel
	DA6103D2.(^)C
	$Remarks: (^{\rm h}): Cabinet \ width: \ 040/045/050/055/060/080/090/100/120 \\ Glass \ size: (131^{\rm h}_{\rm i})^*(8\pm0.2)^*(L^{\rm h}_{\rm i}) \qquad L=LW-110$


Cutting instruction






Installation instruction









Unihopper -2.30- Unihopper

PLASTIC PAD



STEEL BACK







Order information


Oraci illiolillatio	11
Plastic pad	
Code No	The complete set basic components includes
DA6201C.(^)	1.Plastic pad(front/back)

Remarks: (^):Color: Mocca (MCA) / Dark grey(DG)


Apply to inner drawer










Installation instruction









Remarks:	
(^):Cabinet Width:400/450/500/550/600/900/1000/12	00
(8):Color: White (WT) / Dark grey(DG)	


H=80mm Steel back panel H=80mm Steel back panel DA1104D.(^A)A.(^B)

Omm Steel back panel
04D.(^)B.(*)


H=190mm Steel back panel	
Description	H=190mm Steel back panel DA1104D.(^)C.(*)

Mounting steel back panel





ANTI-SLIP MAT



Big granulous anti-slip	Illat
Description	Big granulous anti-slip mat
	DA1105C3.(^A)*(^B)
Remarks:	
(A):Cabinet width:400/450/50	0/550/600/900/1000/1200mm

Unihopper Unihopper -2.31--2.32-

UNIBOX OF SINK


► H80、130



Full extension with self closing and soft closing

- Make good use of the space around the sink
- Steel drawer side H=80/130mm
- Synchronized concealed slide
- Epoxy coated
- Load capacity of 35kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , 4 dimensional adjustment

Space required




Order information

H=80/13	H=80/130mm Sink unibox components	
Nominal	Code No	The complete set basic components includes
length	H=80mm	1.Back adapters for sink Left/Right
400 mm	DA5101C.(^)A4.(⁸)	2.Aluminium profile of sink
450 mm	DA5101C.(^)A5.(^B)	
500 mm	DA5101C.(^)A6.(⁸)	
550 mm	DA5101C.(^A)A7.(^B)	
	H=130mm	
400 mm	DA5101C.(^)B4.(*)	1.Back adapters for sink Left/Right
450 mm	DA5101C.(^)B5.(⁸)	2.Aluminium profile of sink
500 mm	DA5101C.(^)B6.(⁸)	
550 mm	DA5101C.(^)B7.(*)	

Remarks: (^):Cabinet width: 800/900/1000/1200 (*):Color: White (WT) /Dark grey(DG)

Product breakdown drawing






2.Aluminium profile for sink		
Description	Height	Aluminium profile for sink
	H=80mm	DA5102C1.80.(^)
!	H=130mm	DA5102C1.130.(*)
	Remarks: (^):Color: White (WT) /Dark grey(DG)	


Only suitable for H=130mm high sink--optional fittings

•		•
3.Vertical divid	der	
Description	Height	Vertical divider
	H=130mm	DA3102C2.(*)
	Remarks: (^):Color: W	hite (WT) /Dark grey(DG)


H=80mm 16mm board cutting size




H=130mm 16mm board cutting size



H=80mm 16mm board self- cutting size



H=130mm 16mm board self- cutting size





Unihopper -2.33--2.34-


INSTALLATION INSTRUCTION




H=80/130mm sink installation instruction









Assembling aluminium panel



Connecting front and side panel






Connecting aluminium panel




Fixing bottom panel and aluminium panel




Fixing back panel


H=130mm sink installation instruction









Drawer mounting









Drawer box disassembly











Unihopper -2.35-Unihopper -2.36-

ALUMINIUM DIVIDER SYSTEM





Aluminium divider system

- -Used high quality aluminium material
- -Humanity design with utility interval space
- -More functional drawer system
- -Fashional and modern
- -Freely assembly with different size
- -Drawer ready to install:

Standard length: 450/500mm

- -Cabinet Width :
- 400/450/500/600/800/900/1000/1200mm
- -The other accessories including:

non-slip mat(Silver Color)


Measurement of Non-slip mat				
Nominal length Cabinet width	450	500		
400	276X423	276X473		
450	326X423	326X473		
500	376X423	376X473		
600	476X423	476X473		
800	676X423	676X473		
900	776X423	776X473		
1000	876X423	876X473		
1200	10767422	10767472		



Cabinet width:400mm

Nominal length	Item code
450mm	DA3104D.0405.(^A)


Remarks: (^):Color: White (WT) /Dark grey(DG)





DA3104D.0406.(^A)





Cabinet width: 450mm

Nominal length	Item code
450mm	DA3104D.0455.(^A)
Remarks: (^):Color: White (WT) /Dark grey(DG)	


Cabinet width:600mm

DA3104D.0605.(^A)



DA3104D.0456.(^A) Remarks: (^):Color: White (WT) /Dark grey(DG)

Cabinet width:500mm




DA3104D.0505.(^A) Remarks: (^):Color: White (WT) /Dark grey(DG)

Unihopper

Nominal length Item code

500mm


Remarks: (^):Color: White (WT) /Dark grey(DG)





DA3104D.0606.(^A) 500mm Remarks: (^):Color: White (WT) /Dark grey(DG)

Cabinet width:800mm




Remarks: (^):Color: White (WT) /Dark grey(DG)

Item code


DA3104D.0806.(A) Remarks: (^):Color: White (WT) /Dark grey(DG)

Cabinet width:900mm



Nominal length DA3104D.0905.(A)


Remarks: (^):Color: White (WT) /Dark grey(DG)



Nominal length DA3104D.0906.(A)


Remarks: (^):Color: White (WT) /Dark grey(DG)

Cabinet width: 1000mm



Nominal length Item code DA3104D.1005.(^A)


Remarks: (^):Color: White (WT) /Dark grey(DG)




Nominal length Item code DA3104D.1006.(^A) 500mm

Remarks: (^):Color: White (WT) /Dark grey(DG)

Cabinet width: 1200mm



Remarks: (^):Color: White (WT) /Dark grey(DG)



Remarks: (^):Color: White (WT) /Dark grey(DG)

Unihopper -2.38-

-2.37-

STAINLESS STEEL DIVIDER SYSTEM



WOODEN KNIFE AND FORK SET OF UNIBOX





Stainless steel divider system

- -Used high quality stainless steel material
- -Humanity design with utility internal space
- -More functional drawer system
- -Fashional and modern




Wooden knife and fork set of unibox

- -Wooden Material: Solid beech
- -Mocca and White Material: MDF
- -Free adjustment 450mm~650mm, 800mm~1200mm
- -Color: Wooden (WD) / Mocca(MCA)/White(WT)


Description	Length	Stainless steel divider box
	202 mm	DA3301C1.202.SS
.01	270 mm	DA3301C1.270.SS
	303 mm	DA3301C1.303.SS
	320 mm	DA3301C1.320.SS

Aluminum divider components		
Description	Length	Aluminum divider components
	324 mm	DA3103C1.324.(^)
1	374 mm	DA3103C1.374.(^)
1	424 mm	DA3103C1.424.(^)
	474 mm	DA3103C1.474.(^)
	Remarks: (^):Color: White (WT) /Dark grey(DG)	


Assembly solution for L 400mm




Assembly solution for L 450mm




for L 500mm




Assembly solution I Assembly solution II for L 500mm








for L 550mm



Assembly solution $\, \mathrm{I} \,$ Assembly solution $\, \mathrm{II} \,$ for L 550mm







450-650mm wooden knife and fork set of unibox			
Description	450-650mm wooden knif	e and fork set of unibox	Item code
	Cabinet width:450~650mm	Nominal length:450mm	DA3201C1.0655.(^A)
	Cabinet width:450~650mm	Nominal length:500mm	DA3201C1.0656.(^)

Remarks: (^):Color: White (WT) / Wooden(WD)/Mocca(MCA)

800-1200mm wooden knife and fork set of unibox		
Description	800-1200mm wooden knife and fork set of unibox	Item code
	Cabinet width:800~1200mm Nominal length:450mm	DA3201C1.450*1205.(^)
	Cabinet width:800~1200mm Nominal length:500mm	DA3201C1.500*1206.(^A)

(^):Color: White (WT) / Wooden(WD)/Mocca(MCA)

Unihopper Unihopper -2.39--2.40-

SQUARE BAR DIVIDER SYSTEM



DIVIDER SYSTEM FOR SIDE HIGH DRAWER





Square bar divider system

- -High quality steel material, eco-friendly plastic material, durable in use
- -Space adjustment at will, scientifically and reasonably dividing the internal space
- -Perfect function of drawer
- -Fashionable, beautiful and modern
- -Applicable for 80mm/120mm/170mm standard and inner magic box,P1.26
- -Applicable for higher Unibox with railing

Long square bar divider

Long square bar divider (Maximum length 2800mm, cuttable)		
Description	Cabinet width	Item code
	400 mm	DA3101E1.040.(^)
	450 mm	DA3101E1.045.(^A)
	500 mm	DA3101E1.050.(^)
	600 mm	DA3101E1.060.(^)
	900 mm	DA3101E1.090.(^)
	1000mm	DA3101E1.100.(^)
	1200 mm	DA3101E1.120.(^)
		DA3101E3.(^)
S		


(^):Color: Matt white (MW) / Dark grey(DG)


Short divider


Short divid	er
Description	Item code
	DA3101E2.(^)


(A):Color: Matt white (MW) / Dark grey(DG)

Applicable for higher Unibox with railing









Divider system for side high drawer

- -High quality tempered glass and aluminium
- -8 mm tempered glass high panel suitable for height 130mm/190mm
- -Fashional vision
- -Easy assembly to utility internal space
- -Humanity design

Suitable for H=130/190mm Standard Inner drawer

Description	Cabinet width	Horizonal divider
	400 mm	DA3102D1.040B.(^)
	450 mm	DA3102D1.045B.(^)
	500 mm	DA3102D1.050B.(^)
1	550 mm	DA3102D1.055B.(^)
	600 mm	DA3102D1.060B.(^)
	900 mm	DA3102D1.090B.(^)
	1000 mm	DA3102D1.100B.(^)
	1200 mm	DA3102D1.120B.(^)


Vertical divider	
Description	Vertical divider
	DA3102C2.(*)

Remarks: (^):Color: White (WT) /Dark grey(DG)


H=130mm installation instruction









H=190mm installation instruction







Unihopper Unihopper -2.41--2.42-



-For 16mm side panel




Full extension soft & self closing concealed slide of


3 Dimension adjustment function


- Clip-on Full extension soft closing
- Synchronized concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , front and back ,6 dimensional adjustment





Code No	Nominal length	*	
CL12E1.2703.ZP	270 mm	10Sets	
CL12E1.3003.ZP	300 mm	10Sets	
CL12E1.3503.ZP	350 mm	10Sets	
CL12E1.4003.ZP	400 mm	10Sets	
CL12E1.4503.ZP	450 mm	10Sets	
CL12E1.5003.ZP	500 mm	10Sets	
CL12E1.5503.ZP	550 mm	10Sets	






CONCEALED SLIDE

-For 18mm side panel





Full extension soft & self closing concealed slide of 3 Dimension adjustment function


- Clip-on Full extension soft closing
- Synchronized concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down, left and right, front and back,
 6 dimensional adjustment



Code No	Nominal length	*
CL12E2.2703.ZP	270 mm	10Sets
CL12E2.3003.ZP	300 mm	10Sets
CL12E2.3503.ZP	350 mm	10Sets
CL12E2.4003.ZP	400 mm	10Sets
CL12E2.4503.ZP	450 mm	10Sets
CL12E2.5003.ZP	500 mm	10Sets
CL12E2.5503.ZP	550 mm	10Sets








Unihopper -3.1- Unihopper

-For 16mm side panel



Single extension soft & self closing concealed slide of 3 Dimension adjustment function

- Clip-on Single extension soft closing
- Concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down, left and right, front and back,
 6 dimensional adjustment




000


64

0000 0 000

-3.3-

Code No	Nominal length	*
CL22D1.2703.ZP	270 mm	10Sets
CL22D1.3003.ZP	300 mm	10Sets
CL22D1.3503.ZP	350 mm	10Sets
CL22D1.4003.ZP	400 mm	10Sets
CL22D1.4503.ZP	450 mm	10Sets
CL22D1.5003.ZP	500 mm	10Sets
CL22D1.5503.ZP	550 mm	10Sets





CONCEALED SLIDE


-For 18mm side panel




Single extension soft & self closing concealed slide of 3 Dimension adjustment function


- Clip-on Single extension soft closing


- Concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , front and back ,
 6 dimensional adjustment



Code No	Nominal length	*
CL22D2.2703.ZP	270 mm	10Sets
CL22D2.3003.ZP	300 mm	10Sets
CL22D2.3503.ZP	350 mm	10Sets
CL22D2.4003.ZP	400 mm	10Sets
CL22D2.4503.ZP	450 mm	10Sets
CL22D2.5003.ZP	500 mm	10Sets
CL22D2.5503.ZP	550 mm	10Sets









350

400

450

500


550

-For 16mm side panel




Full extension rebound concealed slide of 3 Dimension adjustment function


- Full extension rebound concealed slide
- Synchronized concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , front and back ,6 dimensional adjustment



Code No	Nominal length	*
CL14E1.2703.ZP	270 mm	10Sets
CL14E1.3003.ZP	300 mm	10Sets
CL14E1.3503.ZP	350 mm	10Sets
CL14E1.4003.ZP	400 mm	10Sets
CL14E1.4503.ZP	450 mm	10Sets
CL14E1.5003.ZP	500 mm	10Sets
CI 14F1 5503 7P	550 mm	10Sets



The width of the Inner Cabinet



CONCEALED SLIDE


-For 18mm side panel




Full extension rebound concealed slide of 3 Dimension adjustment function


- Full extension rebound concealed slide
- Synchronized concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down, left and right, front and back,
 6 dimensional adjustment






Code No	Nominal length	₩
CL14E2.2703.ZP	270 mm	10Sets
CL14E2.3003.ZP	300 mm	10Sets
CL14E2.3503.ZP	350 mm	10Sets
CL14E2.4003.ZP	400 mm	10Sets
CL14E2.4503.ZP	450 mm	10Sets
CL14E2.5003.ZP	500 mm	10Sets
CL14E2.5503.ZP	550 mm	10Sets








Unihopper -3.5- Unihopper

-For 16mm side panel





Single extension rebound concealed slide of 3 Dimension adjustment function

- Single extension rebound concealed slide
- Concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down , left and right , front and back ,6 dimensional adjustment



Code No	Nominal length	*
CL24D1.2703.ZP	270 mm	10Sets
CL24D1.3003.ZP	300 mm	10Sets
CL24D1.3503.ZP	350 mm	10Sets
CL24D1.4003.ZP	400 mm	10Sets
CL24D1.4503.ZP	450 mm	10Sets
CL24D1.5003.ZP	500 mm	10Sets
CL24D1.5503.ZP	550 mm	10Sets





CONCEALED SLIDE

-For 18mm side panel




Single extension rebound concealed slide of


3 Dimension adjustment function


- Single extension rebound concealed slide
- Concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly
- Up and down, left and right, front and back,
 6 dimensional adjustment






Code No	Nominal length	*
CL24D2.2703.ZP	270 mm	10Sets
CL24D2.3003.ZP	300 mm	10Sets
CL24D2.3503.ZP	350 mm	10Sets
CL24D2.4003.ZP	400 mm	10Sets
CL24D2.4503.ZP	450 mm	10Sets
CL24D2.5003.ZP	500 mm	10Sets
CL24D2.5503.ZP	550 mm	10Sets







Unihopper -3.8- Unihopper

-For 16mm side panel



CONCEALED SLIDE

-For 18mm side panel



Full extension concealed slide with self closing and soft closing


- Full extension soft closing
- Synchronized concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly




Full extension concealed slide with self closing and soft closing

- Full extension soft closing
- Synchronized concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly








Code No No	minal leng	th X1	X2	*
CL11E1.270.ZP	270 mm	205 mm	248 mm	10Sets
CL11E1.300.ZP	300 mm	230 mm	275 mm	10Sets
CL11E1.350.ZP	350 mm	275 mm	320 mm	10Sets
CL11E1.400.ZP	400 mm	300 mm	376 mm	10Sets
CL11E1.450.ZP	450 mm	335 mm	421 mm	10Sets
CL11E1.500.ZP	500 mm	360 mm	466 mm	10Sets
CL11E1.550.ZP	550 mm	405 mm	511 mm	10Sets





Code No No	ominal leng	gth X1	X2	*
CL11E2.270.ZP	270 mm	205 mm	248 mm	10Sets
CL11E2.300.ZP	300 mm	230 mm	275 mm	10Sets
CL11E2.350.ZP	350 mm	275 mm	320 mm	10Sets
CL11E2.400.ZP	400 mm	300 mm	376 mm	10Sets
CL11E2.450.ZP	450 mm	335 mm	421 mm	10Sets
CL11E2.500.ZP	500 mm	360 mm	466 mm	10Sets
CL11E2.550.ZP	550 mm	405 mm	511 mm	10Sets











Unihopper -3.10- Unihopper

-For 16mm side panel



CONCEALED SLIDE

Single extension concealed slide with self closing


-For 18mm side panel




Single extension concealed slide with self closing and soft closing


- Single extension soft closing
- Concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly





Code No No	minal leng	gth X1	X2	*
CL21D1.270.ZP	270 mm	205 mm	185 mm	10Sets
CL21D1.300.ZP	300 mm	230 mm	210 mm	10Sets
CL21D1.350.ZP	350 mm	275 mm	255 mm	10Sets
CL21D1.400.ZP	400 mm	300 mm	280 mm	10Sets
CL21D1.450.ZP	450 mm	335 mm	315 mm	10Sets
CL21D1.500.ZP	500 mm	360 mm	340 mm	10Sets
CL21D1.550.ZP	550 mm	405 mm	385 mm	10Sets






- Concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism


- Single extension soft closing


and soft closing


- Quick assembly



Code No No	minal leng	gth X1	X2	*
CL21D2.270.ZP	270 mm	205 mm	185 mm	10Sets
CL21D2.300.ZP	300 mm	230 mm	210 mm	10Sets
CL21D2.350.ZP	350 mm	275 mm	255 mm	10Sets
CL21D2.400.ZP	400 mm	300 mm	280 mm	10Sets
CL21D2.450.ZP	450 mm	335 mm	315 mm	10Sets
CL21D2.500.ZP	500 mm	360 mm	340 mm	10Sets
CL21D2.550.ZP	550 mm	405 mm	385 mm	10Sets







Unihopper -3.12- Unihopper

-For 16mm side panel



CONCEALED SLIDE

-For 18mm side panel



Full extension rebound concealed slide

- Full extension rebound concealed slide
- Synchronized concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly






Full extension rebound concealed slide


- Full extension rebound concealed slide
- Synchronized concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly







Code No No	ominal lenç	gth X1	X2	*
CL13E1.270.ZP	270 mm	205 mm	248 mm	10Sets
CL13E1.300.ZP	300 mm	230 mm	275 mm	10Sets
CL13E1.350.ZP	350 mm	275 mm	320 mm	10Sets
CL13E1.400.ZP	400 mm	300 mm	376 mm	10Sets
CL13E1.450.ZP	450 mm	335 mm	421 mm	10Sets
CL13E1.500.ZP	500 mm	360 mm	466 mm	10Sets
CL13E1.550.ZP	550 mm	405 mm	511 mm	10Sets


v a x a





Code No No	ominal leng	gth X1	X2	*
CL13E2.270.ZP	270 mm	205 mm	248 mm	10Sets
CL13E2.300.ZP	300 mm	230 mm	275 mm	10Sets
CL13E2.350.ZP	350 mm	275 mm	320 mm	10Sets
CL13E2.400.ZP	400 mm	300 mm	376 mm	10Sets
CL13E2.450.ZP	450 mm	335 mm	421 mm	10Sets
CL13E2.500.ZP	500 mm	360 mm	466 mm	10Sets
CL13E2.550.ZP	550 mm	405 mm	511 mm	10Sets











-For 16mm side panel



CONCEALED SLIDE

-For 18mm side panel




Single extension rebound concealed slide


- Single extension rebound concealed slide
- Concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly









Code No No	minal leng	gth X1	X2	*
CL23D1.270.ZP	270 mm	205 mm	185 mm	10Sets
CL23D1.300.ZP	300 mm	230 mm	210 mm	10Sets
CL23D1.350.ZP	350 mm	275 mm	255 mm	10Sets
CL23D1.400.ZP	400 mm	300 mm	280 mm	10Sets
CL23D1.450.ZP	450 mm	335 mm	315 mm	10Sets
CL23D1.500.ZP	500 mm	360 mm	340 mm	10Sets
CL23D1.550.ZP	550 mm	405 mm	385 mm	10Sets









Single extension rebound concealed slide


- Single extension rebound concealed slide
- Concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly






Code No	lominal len	gth X1	X2	*
CL23D2.270.ZI	270 mm	205 mm	185 mm	10Sets
CL23D2.300.ZI	300 mm	230 mm	210 mm	10Sets
CL23D2.350.ZI	350 mm	275 mm	255 mm	10Sets
CL23D2.400.ZI	400 mm	300 mm	280 mm	10Sets
CL23D2.450.ZI	450 mm	335 mm	315 mm	10Sets
CL23D2.500.ZI	500 mm	360 mm	340 mm	10Sets
CL23D2.550.ZI	550 mm	405 mm	385 mm	10Sets







Unihopper Unihopper -3.15--3.16-




CONCEALED SLIDE




PT Single extension concealed slide with self closing and soft closing


- PT Single extension soft closing
- Concealed slide
- Load capacity of 20kgs
- Smooth rolling mechanism
- Quick assembly



The width of the Inner Cabinet

Code No	Nominal length	X1	*
CL21E1.270.ZP	270 mm	205 mm	10Sets
CL21E1.300.ZP	300 mm	230 mm	10Sets
CL21E1.350.ZP	350 mm	275 mm	10Sets
CL21E1.400.ZP	400 mm	300 mm	10Sets
CL21E1.450.ZP	450 mm	335 mm	10Sets
CL21E1.500.ZP	500 mm	360 mm	10Sets
CL21E1.550.ZP	550 mm	405 mm	10Sets







Full extension soft & self closing concealed slide US frame version of 3 Dimension adjustment function

- Concealed slide US frame version
- Synchronized concealed slide
- Load capacity of 30kgs
- Smooth rolling mechanism
- Quick assembly








Code No	Nominal len	gth C	DH	*
CLU12E1.3053.Z	P 12"	305 mm	330-366 mm	10Sets
CLU12E1.3813.ZI	P 15"	381 mm	406-442 mm	10Sets
CLU12E1.4573.ZI	P 18"	457 mm	482-518 mm	10Sets
CLU12E1.5333.ZI	P 21"	533 mm	558-594 mm	10Sets











Unihopper

-3.17-



BALL BEARING SLIDE

SOFT CLOSING BALL BEARING SLIDE US FRAME VERSION




BALL BEARING SLIDE US FRAME VERSION



Soft closing ball bearing slide Us frame version

- -Material: High strength cold rolled steel, metal damper
- -Advantage: Easy assembling, soft closing, quiet, and good corrosion resistance
- -Load capacity of 35kgs
- -Color: Zinc plated, black plated
- -Size:250/300/350/400/450/500/550/600mm
- -The Min Depth of the Inner cabinet
- = Nominal length + 3MM
- -With steel clip support






Code No	Nominal len (mm)	gth A (mm)	B (mm)	D (mm)	E (mm)	F (mm)	*
DS2104.250.(^A) 250	120					15Sets
DS2104.300.(^A) 300	96	82.5	87			15Sets
DS2104.350.(^A) 350	128	96	64	64		15Sets
DS2104.400.(^A) 400	128	144	128	128		15Sets
DS2104.450.(^A) 450	160	160	128	128		15Sets
DS2104.500.([^]) 500	192	192	128	128	64	15Sets
DS2104.550.(^A) 550	192	224	128	128	96	15Sets
DS2104.600.(^A) 600	224	224	128	128	96	15Sets

Remarks: (A):Color: ZP /BK

Ball bearing slide Us frame version

- -Material: High strength cold rolled steel, metal damper
- -Advantage: Easy assembling, quiet, and good corrosion resistance
- -Load capacity of 35kgs
- -Color: Zinc plated, black plated
- -Size:250/300/350/400/450/500/550/600mm
- -The Min Depth of the Inner cabinet
- = Nominal length + 3MM
- -With steel clip support






Code No	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	A' (mm)	B' (mm)	*
DS2414.250.(^A)	250				160		160		15Sets
DS2414.300.(^A)	300	64			128	41.9	96	128	15Sets
DS2414.350.(^A)	350	64			160	59.5	96	160	15Sets
DS2414.400.(^A)	400	64	160		224	45.5	128	160	15Sets
DS2414.450.(^A)	450	64	160		288	30	160	191	15Sets
DS2414.500.(^A)	500	64	160		288	81.5	192	224	15Sets
DS2414.550.(^A)	550	64	160	128	384	30	190	256	15Sets
DS2414.600.(^A)	600	64	160	128	384	85.5	224	288	15Sets

Remarks: (^):Color: ZP /BK

	 В	-1-	Α	48
12.7±0.2				
	· · · · · · · · · · · · · · · · · · ·	· — • · · · · · · · · · · · · · · · · ·		
			9.5	16
45	F	E	D <u>13.5</u>	35
			2 8.45 11.55	10.45



Unihopper -4.1- Unihopper

BALL BEARING SLIDE WITH SOFT AND SELF CLOSING




BALL BEARING SLIDE



Ball bearing slide with soft and self closing

- -Material: High strength cold rolled steel, metal damper
- -Advantage: Easy assembling, soft closing, quiet, and good corrosion resistance
- -Load capacity of 35kgs
- -Color: Zinc plated, black plated
- -Size:250/300/350/400/450/500/550/600mm
- -The Min Depth of the Inner cabinet
- = Nominal length + 3MM






Code No	Nominal ler (mm)	ngth A (mm)	B (mm)	D (mm)	E (mm)	F (mm)	*
DS2101.250.	(^A) 250	120					15Sets
DS2101.300.	(^A) 300	96	82.5	87			15Sets
DS2101.350.	(^A) 350	128	96	64	64		15Sets
DS2101.400.	(^A) 400	128	144	128	128		15Sets
DS2101.450.	(^A) 450	160	160	128	128		15Sets
DS2101.500.	(^A) 500	192	192	128	128	64	15Sets
DS2101.550.	(^A) 550	192	224	128	128	96	15Sets
DS2101.600.	(^A) 600	224	224	128	128	96	15Sets

Remarks: (^):Color: ZP /BK

Ball bearing slide

- -Material: High strength cold rolled steel, metal damper
- -Advantage: Easy assembling, quiet,
- and good corrosion resistance
- -Load capacity of 45kgs
- -Color: Zinc plated, black plated
- -Size:250/300/350/400/450/500/550/600mm
- -The Min Depth of the Inner cabinet
- = Nominal length + 3MM






Code No	L (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	A' (mm)	B' (mm)	*
DS2401.250.(^A)	250				160		160		15Sets
DS2401.300.(^A)	300	64			128	41.9	96	128	15Sets
DS2401.350.(^A)	350	64			160	59.5	96	160	15Sets
DS2401.400.(^A)	400	64	160		224	45.5	128	160	15Sets
DS2401.450.(^A)	450	64	160		288	30	160	191	15Sets
DS2401.500.(^A)	500	64	160		288	81.5	192	224	15Sets
DS2401.550.(^A)	550	64	160	128	384	30	190	256	15Sets
DS2401.600.(^A)	600	64	160	128	384	85.5	224	288	15Sets

Remarks: (^):Color: ZP /BK

	 В		Α	48
12.7±0.2				
		•• · · · · · · · · · · · · · · · · · ·		
			9.5	16
45	F	Е	D 13.5	35
		<u></u>		
		J		
		1	2 8.45 11.55	10.45



Unihopper -4.3- Unihopper



GAS HINGE

GAS HINGE




165° GAS HINGE





Clip-on adjustable soft-closing hinge


- -Opening Angle:105°
- -Cup diameter:35mm
- -Depth:11.5mm
- -Hole distance:45、48、52mm
- -Door thickness:14~22mm
- -Two-way
- -105° Excentric clip-on hinge























165° Gas hinge

- -Opening Angle:165°
- -Cup diameter:35mm
- -Depth:11.5mm
- -Hole distance:45、48、52mm
- -Door thickness:14~26mm
- -165° Excentric clip-on hinge









Wooden screw(M4X16)


Euro screw(M6.3X14)


Dowel(M10X10)

100Pcs

100Pcs










100Pcs


17 18 19 20 21

2	15	16	17	18	19				2	
	{				<u>+</u>			ı		
				Κĺ						









30° 45° 90° GAS HINGE



135° HINGE



30° Gas hinge

- -Closing Angle:30°
- -Cup diameter:35mm
- -Depth:11.5mm
- -Hole distance:45、48、52mm
- -Door thickness:14~22mm
- -30° Excentric clip-on hinge


45° Gas hinge

- -Closing Angle:45°
- -Cup diameter:35mm
- -Depth:11.5mm
- -Hole distance:45、48、52mm
- -Door thickness:14~22mm
- -45° Excentric clip-on hinge

90° Gas hinge

- -Closing Angle:90°
- -Cup diameter:35mm
- -Depth:11.5mm
- -Hole distance:45、48、52mm
- -Door thickness:14~22mm
- -90° Excentric clip-on hinge









Wooden scre	ew(M4X16)	
	100Pcs	HG1406.([^]).1
Euro screw(N	M6.3X14)	
	100Pcs	HG1406.([^]).2
Dowel(M10X	(10)	
	100Pcs	HG1406.(^A).3




Wooden scre	ew(M4X16)	
*	100Pcs	HG1407.([^]).1
Euro screw(I	M6.3X14)	
	100Pcs	HG1407.([^]).2
Dowel(M10X	(10)	
	100Pcs	HG1407.([^]).3

^):Optional hole distance:45/48/52mm







37 36 35 34 1 2 3 4



20 19 2






135° Hinge


- -Closing Angle:135°
- -Cup diameter:35mm
- -Depth:11.5mm
- -Hole distance:45、48、52mm
- -Door thickness:14~22mm
- -135° Excentric clip-on hinge




Wooden scre	ew(M4X16)	
	100Pcs	HG1408.([^]).1
Euro screw(I	M6.3X14)	
	100Pcs	HG1408.(^).2
Dowel(M10X	(10)	
	100Pcs	HG1408.(^A).3
(A) . O = 1: = = = 1.1		5/40/50

D	Door thickness < 18mm	22mm > Door thickness > 18mm
н	2mm	0mm
х	37mm	37mm







FACE FRAME GAS HINGE



FACE FRAME GAS HINGE



Face frame gas hinge

-Opening Angle:105°


-Cup diameter:35mm

-Depth:11mm

-Hole distance:42、45mm

-Door thickness:14~26mm

-Face frame gas hinge



Face frame gas hinge

-Opening Angle:105°


-Cup diameter:35mm

-Depth:11mm

-Hole distance:42、45mm

-Door thickness:14~26mm

-Face frame gas hinge



FACE FRAME GAS HINGE








Face frame gas hinge

- -Opening Angle:105°
- -Cup diameter:35mm
- -Depth:11mm
- -Hole distance:42, 45mm
- -Door thickness:14~26mm
- -Face frame gas hinge



Unihopper -5.7-







LED LIGHTING



Round LED cabinet lighting

- Operating voltage:DC12V

- Wattage:1.8W

- Light colour:3000K/6000K

- Number of LED:9pcs

- Size: Ø60*7mm


-Plug for option: black plug/2510 white plug



REMARKS

This LED lighting's operating voltage is 12V, it can be used on wall cabinet, wardrobe, and kitchen cabinets etc. No need drilling.






Code No LT1103.NA.(^A) 100Sets


(^):Light source: cool white=CW/warm white=WW



Insert round LED lighting

- Operating voltage:DC12V
- Wattage:2W
- Light colour:3000K/6000K
- Number of LED:24pcs
- Size: Ø65*12mm
- -Insert mounted or surface mounted
- -Plug for option: black plug/2510 white plug






REMARKS

This LED lighting's operating voltage is 12V, it can be used on wall cabinet, wardrobe, and kitchen cabinets etc. Insert mounted or surface mounted.





Code No	💗
LT1163.NA.([^])	100Sets
LT1166.NA.(^A)	100Sets

(A):Light source: cool white=CW/warm white=WW











Unihopper Unihopper -6.1--6.2-




LED LIGHTING





Square angle adjustable LED lighting


- Operating voltage:DC12V
- Wattage:1.8W
- Light colour:3000K/6000K
- Number of LED:9pcs
- Size:50*50*8mm
- -Angle adjustable LED lighting
- -Plug for option: black plug/2510 white plug



REMARKS

This LED lighting's operating voltage is 12V, it can be used on wall cabinet, wardrobe, and kitchen cabinets etc. Angle adjustable No need drilling.





Code No

LT1164.NA.(^A)

Remarks:

(^):Light source: cool white=CW/warm white=WW



F

Long strip sensor LED lighting

-Sensor switch

- Operating voltage:DC12V
- Wattage:1.8W
- Light colour:3000K/6000K
- Number of LED:12pcs
- Size:165*50*8.8mm
- -Sensor switch
- -Plug for option: black plug/2510 white plug




REMARKS

This LED lighting's operating voltage is 12V,

it can be used on wall cabinet and kitchen cabinets etc.

Sensor switch: the lighting is on when hand shaking, and it's off when hand shaking again No need drilling.





Code No

LT1153.BR.(^A)

Remarks:

(A):Light source: cool white=CW/warm white=WW





LED LIGHTING



Long strip sensor LED lighting -Sensor switch

- Operating voltage:DC12V

- Wattage:5.8W

- Light colour:3000K/6000K

- Number of LED:36pcs
- Size:500*50*8.8mm
- -Sensor switch
- -Plug for option: black plug/2510 white plug




This LED lighting's operating voltage is 12V,

it can be used on wall cabinet, wardrobe, and kitchen cabinets etc.

Sensor switch: the lighting is on when hand shaking, and it's off when hand shaking again No need drilling.





Code No

LT1152.BR.(^A)

(^):Light source: cool white=CW/warm white=WW





Long strip sensor LED lighting

-Sensor switch


- Operating voltage:DC12V
- Light colour:3000K/6000K
- Number of LED:36pcs
- -Sensor switch
- -Plug for option: black plug/2510 white plug
- D1:Length:455mm/Wattage:5.8W/Windows:3Pcs
- D2:Length:555mm/Wattage:5.8W/Windows:3Pcs
- D3:Length:655mm/Wattage:7.4W/Windows:4Pcs
- D4:Length:755mm/Wattage:9W/Windows:5Pcs
- D5:Length:855mm/Wattage:9W/Windows:5Pcs
- D6:Length:955mm/Wattage:10.6W/Windows:6Pcs D7:Length:1155mm/Wattage:12.2W/Windows:7Pcs
- REMARKS

This LED lighting's operating voltage is 12V,

it can be used on wall cabinet and kitchen cabinets etc.

Sensor switch: lights on when the door is opened, off when the door is closed No need drilling.





Code No

LT1133.IR.(^A).(^B)

(A):D1/D2/D3/D4/D5/D6/D7

(8):Light source: cool white=CW/warm white=WW















LED LIGHTING





LED strip for glass panel


- Operating voltage:DC12V
- Light colour:3000K/6000K
- -LED strip for glass panel
- -Plug for option: black plug/2510 white plug
- D1:Length:567mm/Wattage:2W/Windows:30Pcs D2:Length:767mm/Wattage:2.8W/Windows:42Pcs D3:Length:867mm/Wattage:3.2W/Windows:48Pcs
- D4:Length:967mm/Wattage:3.6W/Windows:54Pcs D5:Length:1000mm/Wattage:3.8W/Windows:57Pcs



REMARKS

This LED lighting's operating voltage is 12V, suit for wall cabinet, kitchen cabinet and glass panel in showcase No need drilling.





Code No

LT1141.NA.(^A).(^B)

(^):D1/D2/D3/D4/D5(Length can be customized) (B):Light source: WW/CW/BU/YW/RD/GN












Insert LED cabinet strip lighting


- Operating voltage:DC12V
- Light colour:3000K/6000K
- -Plug for option: black plug/2510 white plug
- D1:Length:448mm/Wattage:2W/Windows:24Pcs D2:Length:548mm/Wattage:2.4W/Windows:30Pcs D3:Length:1000mm/Wattage:4.8W/Windows:57Pcs



REMARKS

This LED lighting's operating voltage is 12V, it can be used on wall cabinet, wardrobe, and kitchen cabinet etc. Insert mounted.





Code No

LT1139.NA.(^A).(^B)

(A):D1/D2/D3(Length can be customized) (8):Light source: cool white=CW/warm white=WW













Unihopper Unihopper -6.7--6.8-








LED wardrobe strip lighting

-Sensor switch

- Operating voltage:DC12V
- Light colour:3000K/6000K
- -Sensor switch
- -Plug for option: black plug/2510 white plug
- D1:Length:435mm/Wattage:2W/Windows:24Pcs D2:Length:635mm/Wattage:2.8W/Windows:36Pcs D3:Length:935mm/Wattage:4.5W/Windows:54Pcs



REMARKS

This LED lighting's operating voltage is 12V, it can be used on wardrobe. Sensor switch: built-in PIR, detection distance 0-2M. Light will be on when approaching, and off after 15 seconds. No need drilling.





Code No

LT1169.BR.(^A).(^B)

(^):D1/D2/D3(Length can be customized) (⁸):Light source: cool white=CW/warm white=WW














LED wardrobe strip lighting

-Sensor switch


- Operating voltage:DC12V
- Light colour:3000K/6000K
- -Sensor switch
- -Plug for option: black plug/2510 white plug
- D1:Length:650mm/Wattage:3.5W D2:Length:750mm/Wattage:4W D3:Length:1050mm/Wattage:5.5W



REMARKS

This LED lighting's operating voltage is 12V, it can be used on wardrobe. Sensor switch: built-in PIR, detection distance 0-2M. Light will be on when approaching, and off after 15 seconds. No need drilling.





Code No

LT1170.BR.(^A).(^B)

(A):D1/D2/D3(Length can be customized) (8):Light source: cool white=CW/warm white=WW













POWER SUPPLY



Power supply

- Operating voltage: IN:AC100-240V 50-60HZ OUT:DC12V 1.5A
- Wattage:8W/18W/28W
- The power line is 1500mm



Code No

E15.(^A).(^B)

Remarks: (^):Wattage: 8W/18W/28W (⁸):Color: White(WT)



Unihopper

Unihopper



KITCHEN STORAGE SYSTEM -Phantom



GLASS SWIVEL PULL-OUT BASKET

ADVANTAGES

Perfect connection between basket and door

FUNCTION

Clear classification, more storage space, convenient and smooth operation

COMPONENTS


Flat glass basket and heavy duty slide


COLOUR

Dark grey

SIZE

450mm Cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Layer	*
WB1208S.045AG.DG	450	410X500X585	2	1Set
WB1208S.060AG.DG	600	560X500X585	2	1Set
WB1208S.045CG.DG	450	410X500X1090	4	1Set
WB1208S.060CG.DG	600	560X500X1090	4	1Set
WB1208S.045EG.DG	450	410X500X1690	6	1Set
WB1208S.060EG.DG	600	560X500X1690	6	1Set

-7.2- Unihopper



GLASS SOFT CLOSING TALL UNIT BASKETS



ADVANTAGES

Smooth and soft closing

FUNCTION

Clear classification, more storage space, convenient and smooth operation

COMPONENTS


Flat glass basket and heavy duty slide

COLOUR

Dark grey

SIZE

150mm、300mm、400mm cabinet width



Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Layer	₩
WB1205S.015EG.DG	150	113X500X1970-2270	6	1Set
WB1205S.030EG.DG	300	245X500X1970-2270	6	1Set
WB1205S.040EG.DG	400	345X500X1970-2270	6	1Set

-7.4- Unihopper



GLASS THREE SIDES BASKET



ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance

FUNCTION

For pots, big plates and plastic holders etc

COMPONENTS


Glass three sides basket, synchronized concead slide

COLOUR

Dark grey

SIZE

600mm、700mm、750mm、800mm、900mm cabinet width



Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	₩
WB2352S.060.DG	600	564X471X175	1Set
WB2352S.070.DG	700	664X471X175	1Set
WB2352S.075.DG	750	714X471X175	1Set
WB2352S.080.DG	800	764X471X175	1Set
WB2352S.090.DG	900	864X471X175	1Set

-7.6- Unihopper



GLASS THREE SIDES BASKET



ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance

FUNCTION

For pots, big plates and plastic holders etc

COMPONENTS


Glass three sides basket, synchronized concead slide

COLOUR

Dark grey

SIZE

600mm、700mm、750mm、800mm、900mm cabinet width



Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB2353S.060.DG	600	564X471X175	1Set
WB2353S.070.DG	700	664X471X175	1Set
WB2353S.075.DG	750	714X471X175	1Set
WB2353S.080.DG	800	764X471X175	1Set
WB2353S.090.DG	900	864X471X175	1Set

-7.8- Unihopper



GLASS MULTI-BASKET



ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance

FUNCTION

For pots, big plates and plastic holders etc

COMPONENTS


Clip-on two way slow motion slides, with glass multi-basket

COLOUR

Dark grey

SIZE

300mm、350mm、400mm、450mm cabinet width



Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	₩
WB2428S.030.DG	300	250X460X523	1Set
WB2428S.035.DG	350	300X460X523	1Set
WB2428S.040.DG	400	350X460X523	1Set
WB2428S.045.DG	450	400X460X523	1Set

-7.10- Unihopper





ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance; Basket freely combination, left and right installation for choice

FUNCTION

For all kinds of spice bottles

COMPONENTS

Clip-on two way slow motion slides, with side mounted glass basket

COLOUR

Dark grey

SIZE

200mm cabinet width



Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB2358SR.020.DG	200	152X490X585	1Set
WB2358SL.020.DG	200	152X490X585	1Set

-7.12- Unihopper



GLASS MAGIC CORNER



ADVANTAGES

Soft closing; Make good use of corner space Basket freely combination, left and right installation for choice

FUNCTION

For pots, big plates etc

COMPONENTS

High strength steel frame, movable glass basket

COLOUR


Dark grey

SIZE

900mm cabinet width







Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB2106SR.090G.DG	Min900	860-968X500-550X530	1Set
WB2106SL.090G.DG	Min900	860-968X500-550X530	1Set

-7.14- Unihopper



LIFT BASKET



ADVANTAGES

Soft opening, soft closing, adjustable loading capacity, Reasonable use the space of wall cupboar

FUNCTION

Pans, big plates...

COMPONENTS


Strong frame, two layers glass basket


COLOUR

Dark grey

SIZE

600mm、700mm、800mm、900mm cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB3303S.060.DG	600	560X280X560	1Set
WB3303S.070.DG	700	660X280X560	1Set
WB3303S.080.DG	800	760X280X560	1Set
WB3303S.090.DG	900	860X280X560	1Set

-7.16- Unihopper



KITCHEN STORAGE SYSTEM



SOFT CLOSING SWIVEL PULL-OUT BASKET

ADVANTAGES

Perfect connection between basket and door

FUNCTION

Clear classification, more storage space, convenient and smooth operation

COMPONENTS

Flat steel basket and heavy duty slide


COLOUR


Matt nickel/Chrome


SIZE

450mm Cabinet width









Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Layer	*
WB1208S.045EW.(^A)	450	410X500X1690	6	1Set
WB1208S.060EW.(^A)	600	560X500X1690	6	1Set

Note: (^):Color:CP/MN

-7.18- Unihopper



SOFT CLOSING SWIVEL PULL-OUT BASKET

ADVANTAGES

Perfect connection between basket and door

FUNCTION

Clear classification, more storage space, convenient and smooth operation

COMPONENTS

Flat steel basket and heavy duty slide


COLOUR


Matt nickel/Chrome

SIZE

450mm Cabinet width









Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Layer	*
WB1208S.045CW.(^A)	450	410X500X1090	4	1Set
WB1208S.060CW.(^A)	600	560X500X1090	4	1Set
WB1208S.045AW.(^A)	450	410X500X585	2	1Set
WB1208S.060AW.(^A)	600	560X500X585	2	1 Set

Note: (^):Color:CP/MN

-7.20- Unihopper



SOFT CLOSING TALL UNIT BASKETS



ADVANTAGES

Smooth and soft closing

FUNCTION

Clear classification, more storage space, convenient and smooth operation

COMPONENTS

Flat steel basket and heavy duty slide

COLOUR


Matt nickel/Chrome

SIZE

150mm、300mm、400mm cabinet width







Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Layer	*
WB1205S.015EW.(^A)	150	113X500X1970-2270	6	1Set
WB1205S.030EW.(^A)	300	245X500X1970-2270	6	1Set
WB1205S.040EW.(^A)	400	345X500X1970-2270	6	1Set

Note: (^):Color:CP/MN

-7.22- Unihopper



SOFT CLOSING TALL UNIT BASKETS



ADVANTAGES

Smooth and soft closing

FUNCTION

Clear classification, more storage space

COMPONENTS

Wire basket and heavy duty slide


COLOUR

Matt nickel/Chrome

SIZE

150mm cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Layer	*
WB1207S.015ES.(^)	150	105X505X1970-2270	6	1 Set

Note: (^):Color:CP/MN

-7.24- Unihopper



FOUR SIDES BASKET



ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance

FUNCTION

For pots, big plates and plastic holders etc

COMPONENTS

Clip-on two way slow motion slides, with four sides basket


COLOUR

Matt nickel

SIZE

600mm、700mm、750mm、800mm、900mm cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB2359S.060.MN	600	564X471X185	1 Set
WB2359S.070.MN	700	664X471X185	1 Set
WB2359S.075.MN	750	714X471X185	1 Set
WB2359S.080.MN	800	764X471X185	1 Set
WB2359S.090.MN	900	864X471X185	1Set

-7.26- Unihopper



MULTI-BASKET



ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance

FUNCTION

For pots, big plates and plastic holders etc

COMPONENTS

Clip-on two way slow motion slides, with multi-basket


COLOUR

Matt nickel

SIZE

300mm \, 400mm cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB2430S.030.MN	300	243X474X530	1Set
WB2430S.040.MN	400	343X474X530	1Set



MULTI-BASKET



ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance

FUNCTION

For pots, big plates and plastic holders etc

COMPONENTS

Clip-on two way slow motion slides, with multi-basket


COLOUR

Matt nickel

SIZE

300mm \, 400mm cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB2424S.030.MN	300	264X450X546	1Set
WB2424S.040.MN	400	364X450X546	1Set

-7.30- Unihopper



TWO LAYERS BASKET



ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance

FUNCTION

For pots, big plates etc

COMPONENTS

Clip-on two way slow motion slides, with wooden bottom two layers basket or two layers wire basket

COLOUR


Matt nickel/Chrome

SIZE

300mm、350mm、400mm、500mm cabinet width







Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB2420S.030.(^A).(^B)	300	240X460X500	1Set
WB2420S.035.(^A).(^B)	350	290X460X500	1Set
WB2420S.040.(^A).(^B)	400	340X460X500	1 Set
WB2420S.050.(^A).(^B)	500	440X460X500	1 Set

(^):Choose fittings:S(Solid wire)/W(Compact grade laminate) (°):Color:CP/MN

Unihopper -7.32-





ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance; Basket freely combination, left and right installation for choice

For all kinds of spice bottles

COMPONENTS

Clip-on two way slow motion slides, with side mounted basket

COLOUR


Matt nickel/Chrome

SIZE

150mm, 200mm cabinet width







Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB2335SR.015.(^A).(^B)	150	108X465X550	1 Set
WB2335SL.015.(^A).(^B)	150	108X465X550	1Set
WB2335SR.020.(^A).(^B)	200	150X465X550	1Set
WB2335SL.020.(^A).(^B)	200	150X465X550	1Set

Note:
(^):Choose fittings:S(Solid wire)/W(Compact grade laminate)
(*):Color:CP/MN

Unihopper -7.34-





ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance; Basket freely combination, left and right installation for option

FUNCTION

For all kinds of spice bottles

COMPONENTS

Clip-on two way slow motion slides, with side mounted basket

COLOUR


Matt nickel

SIZE

200mm, 250mm cabinet width







Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Layer	*
WB2348SR.020A.MN	200	152X490X585	2	1 Set
WB2348SL.020A.MN	200	152X490X585	2	1 Set
WB2348SR.020B.MN	200	152X490X585	3	1 Set
WB2348SL.020B.MN	200	152X490X585	3	1 Set
WB2348SR.025A.MN	250	202X490X585	2	1 Set
WB2348SL.025A.MN	250	202X490X585	2	1 Set
WB2348SR.025B.MN	250	202X490X585	3	1 Set
WB2348SL.025B.MN	250	202X490X585	3	1Set

-7.35- Unihopper





ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance; Basket freely combination, left and right installation for choice

FUNCTION

For all kinds of spice bottles

COMPONENTS

Clip-on two way slow motion slides, with side mounted basket


COLOUR

Matt nickel

SIZE

150mm、200mm cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB2360SR.015.MN	150	105X482X510	1 Set
WB2360SL.015.MN	150	105X482X510	1 Set
WB2360SR.020.MN	200	155X482X510	1 Set
WB2360SL.020.MN	200	155X482X510	1Set

ihopper -7.38- Unihopper



FOUR LAYERS S-TRAY



ADVANTAGES

Two way slow motion; Make good use of corner space left and right installation for choice; 15KG Loading capacity for each layer

FUNCTION

For pots, big plates etc

COMPONENTS


Soft closing four layers s-tray

COLOUR

White+Chrome/Grey+Chrome

SIZE

900mm cabinet width





Min900	L_
	Min530
450	
	Min530

Right picture

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB2203SR.090.(^A)	Min900	840X460X1190	1Set
WB2203SL.090.(^A)	Min900	840X460X1190	1Set

Note: (^):Colour:WT/GR

-7.40-Unihopper



TWO LAYERS S-TRAY



ADVANTAGES

Two way slow motion; Make good use of corner space left and right installation for choice; 15KG Loading capacity for each layer

FUNCTION

For pots, big plates etc

COMPONENTS


Soft closing two layers s-tray

COLOUR


Matt nicke+Grey

SIZE

900mm cabinet width







Right picture

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB2202SR.090.MN	Min900	830X440X540	1Set
WB2202SL.090.MN	Min900	830X440X540	1Set

-7.42- Unihopper



TWO LAYERS S-TRAY



ADVANTAGES

Two way slow motion; Make good use of corner space left and right installation for choice; 15KG Loading capacity for each layer

FUNCTION

For pots, big plates etc

COMPONENTS


Soft closing two layers s-tray


COLOUR

White+Chrome/Grey+Chrome

SIZE

900、1000mm cabinet width







Code.	Cabinet Width	W *D*H (MM)	
	T(MM)	with slides	· ·
WB2202SR.090.(^A)	Min900	840X460X595	1 Set
WB2202SL.090.(^A)	Min900	840X460X595	1Set
WB2202SR.100.(^A)	Min1000	940X460X595	1Set
WB2202SL.100.(^)	Min1000	940X460X595	1Set

Note: (^):Colour:WT/GR

-7.44- Unihopper



TWO LAYERS S-TRAY



ADVANTAGES

Two way slow motion; Make good use of corner space left and right installation for choice; 15KG Loading capacity for each layer

FUNCTION

For pots, big plates etc

COMPONENTS


Soft closing two layers s-tray

COLOUR


Chrome+White

SIZE

900mm cabinet width







Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB2204SR.090.CP	Min900	800X440X596	1 Set
WB2204SL.090.CP	Min900	800X440X596	1Set

-7.46- Unihopper



MAGIC CORNER



ADVANTAGES

Soft closing; Make good use of corner space Basket freely combination, left and right installation for option

FUNCTION

For pots, big plates etc

COMPONENTS

High strength steel frame, movable wood panel basket


COLOUR

Matt nickel


SIZE

900mm cabinet width









Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB2106SR.090W.MN	Min900	860-968X500-550X530	1 Set
WB2106SL.090W.MN	Min900	860-968X500-550X530	1Set

-7.48- Unihopper



MAGIC CORNER



ADVANTAGES

Soft closing; Make good use of corner space Basket freely combination, left and right installation for option

FUNCTION

For pots, big plates etc

COMPONENTS


High strength steel frame, movable wood panel basket


COLOUR


Chrome

SIZE

900mm cabinet width











Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	₩
WB2106SR.090W.CP	Min900	860X498X516	1Set
WB2106SL.090W.CP	Min900	860X498X516	1Set

-7.50- Unihopper



MAGIC CORNER



ADVANTAGES

Soft closing; Make good use of corner space Basket freely combination, left and right installation for option

FUNCTION

For pots, big plates etc

COMPONENTS


High strength steel frame, movable wire type basket


COLOUR


Chrome

SIZE

900mm cabinet width











Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB2106SR.090S.CP	Min900	860X498X516	1 Set
WB2106SL.090S.CP	Min900	860X498X516	1Set



LIFT BASKET



ADVANTAGES

Soft opening, soft closing, adjustable loading capacity, Reasonable use the space of wall cupboar

FUNCTION

Pans, big plates...

COMPONENTS


Strong frame, two layers wire basket

COLOUR


Matt nickel

SIZE

600mm、700mm、800mm、900mm cabinet width







Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB3302S.060.MN	600	560X280X560	1 Set
WB3302S.070.MN	700	660X280X560	1 Set
WB3302S.080.MN	800	760X280X560	1 Set
WB3302S.090.MN	900	860X280X560	1 Set



STAINLESS STEEL DISH RACK

ADVANTAGES

High-strength stainless steel, environmental protection and antirust

FUNCTION

Better classification for bowls and plates

COMPONENTS

Bowl rack, plate rack and dish rack

COLOUR

Chrome

SIZE

600mm、700mm、800mm、900mm、1000mm cabinet width



Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WB3103.060.SS	600	565X280X65	1Set
WB3103.070.SS	700	665X280X65	1Set
WB3103.080.SS	800	765X280X65	1Set
WB3103.090.SS	900	865X280X65	1Set
WB3103.100.SS	1000	965X280X65	1Set



KITCHEN STORAGE ORGANIZER





ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance

FUNCTION

Garbage classification, better for environment and resource recycling

COMPONENTS

Two ways slow motion slides, high strength steel wire frame, environmental protection plastic bins


COLOR OF BINS COVER

Grey, Blue, Green, Orange

SIZE

400mm、450mm、600mm cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Description	*
AB4103S.040A1.(^A)	400	296X450X555	2*20L	1 Set
AB4103S.040A2.(^)	400	296X450X425	2*15L	1Set
AB4104S.045A1.(^)	450	334X450X555	2*24L	1Set
AB4104S.045A2.(^)	450	334X450X425	2*17L	1Set
AB4105S.045A1.(^)	450	334X450X555	2*10+24L	1Set
AB4105S.045A2.(^)	450	334X450X425	2*8+17L	1Set
AB4106S.060A1.(^)	600	512X450X555	2*10+2*24L	1Set
AB4106S.060A2.(^)	600	512X450X425	2*8+2*17L	1Set

Remarks:

(^): Color:Gray(GR)/Blue(BU)/Green(GN)/Orange(OG)







ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance

FUNCTION

Garbage classification, better for environment and resource recycling

COMPONENTS

Two ways slow motion slides, high strength steel board type frame, environmental protection plastic bins


COLOR OF BINS COVER

Grey, Blue, Green, Orange

SIZE

300mm、400mm、450mm、500mm、600mm cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Description	*
AB4107S.030A1.(^)	300	264X500X460	2*10L	1Set
AB4107S.030A2.(^)	300	264X500X330	2*8L	1Set
AB4107S.040A1.(^)	400	364X500X460	2*20L	1Set
AB4107S.040A2.(^)	400	364X500X330	2*15L	1Set
AB4108S.045A1.(^)	450	414X500X460	2*24L	1Set
AB4108S.045A2.(^)	450	414X500X330	2*17L	1Set
AB4109S.045A1.(^)	450	414X500X460	24+2*10L	1Set
AB4109S.045A2.(^)	450	414X500X330	17+2*8L	1Set
AB4108S.050A1.(^)	500	464X500X460	2*24L	1Set
AB4108S.050A2.(^)	500	464X500X330	2*17L	1Set
AB4109S.050A1.(^)	500	464X500X460	24+2*10L	1Set
AB4109S.050A2.(^)	500	464X500X330	17+2*8L	1Set
AB4110S.060A1.(^)	600	564X500X460	2*24+2*10L	1Set
AB4110S.060A2.(^)	600	564X500X330	2*17+2*8L	1Set

Remarks:

 $(^{\land}) \colon Color \colon Gray(GR)/Blue(BU)/Green(GN)/Orange(OG)$





ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance

FUNCTION

Garbage classification, better for environment and resource recycling

COMPONENTS

Two ways slow motion slides, high strength steel board type frame, environmental protection plastic bins


COLOR OF BINS HANDLES

Grey, Blue, Green, Orange

SIZE

300mm、400mm、450mm、500mm、600mm cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Description	*
AB4116S.030A1.(^)	300	264X500X460	2*10L	1Set
AB4116S.030A2.(^)	300	264X500X330	2*8L	1Set
AB4116S.040A1.(^)	400	364X500X460	2*20L	1Set
AB4116S.040A2.(^)	400	364X500X330	2*15L	1Set
AB4116S.045A1.(^)	450	414X500X460	2*24L	1Set
AB4116S.045A2.(^)	450	414X500X330	2*17L	1Set
AB4116S.045B1.(^)	450	414X500X460	24+2*10L	1Set
AB4116S.045B2.(^)	450	414X500X330	17+2*8L	1Set
AB4116S.050A1.(^)	500	464X500X460	2*24L	1Set
AB4116S.050A2.(^)	500	464X500X330	2*17L	1Set
AB4116S.050B1.(^)	500	464X500X460	24+2*10L	1Set
AB4116S.050B2.(^)	500	464X500X330	17+2*8L	1Set
AB4116S.060A1.(^)	600	564X500X460	2*24+2*10L	1Set
AB4116S.060A2.(^)	600	564X500X330	2*17+2*8L	1Set

Remarks:

(^): Color:Gray(GR)/Blue(BU)/Green(GN)/Orange(OG)





ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance

FUNCTION

Garbage classification, better for environment and resource recycling

COMPONENTS

Two ways slow motion slides, high strength steel board type frame, environmental protection plastic bins


COLOR OF BINS HANDLES

Grey, Blue, Green, Orange

SIZE

450mm、500mm、600mm cabinet width





Cabinet Width T(MM)	W *D*H (MM) with slides	Description	*
450	414X495X549	2*30L	1 Set
500	464X495X549	2*30L	1 Set
600	564X495X549	2*9+2*30L	1Set
	T(MM) 450 500	T(MM) with slides 450 414X495X549 500 464X495X549	T(MM) with slides 450 414X495X549 2*30L 500 464X495X549 2*30L

Remarks:

(^): Color:Gray(GR)/Blue(BU)/Green(GN)/Orange(OG)





ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance

FUNCTION

Garbage classification, better for environment and resource recycling

COMPONENTS

Two ways slow motion unibox, environmental protection plastic bins


COLOR OF BINS COVER

Grey, Blue, Green, Orange

SIZE

400mm、450mm、600mm、800mm cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Description	♥
AB4111S.040A1.(^)	400	364X500X480	2*20L	1Set
AB4111S.040A2.(^A)	400	364X500X350	2*15L	1 Set
AB4112S.045A1.(^)	450	414X500X480	2*24L	1Set
AB4112S.045A2.(^)	450	414X500X350	2*17L	1Set
AB4113S.045A1.(^)	450	414X500X480	24+2*10L	1Set
AB4113S.045A2.(^)	450	414X500X350	17+2*8L	1Set
AB4114S.060A1.(^)	600	564X500X480	2*24+2*10L	1Set
AB4114S.060A2.(^)	600	564X500X350	2*17+2*8L	1Set
AB4114S.080A1.(^)	800	764X500X480	4*20L	1Set
AB4114S.080A2.(^)	800	764X500X480	4*15L	1Set

Remarks:

 $(^{\text{A}}) \colon Color \colon Gray(GR)/Blue(BU)/Green(GN)/Orange(OG)$







ADVANTAGES

Clip-on two way slow motion slides, 53mm soft closing distance

Garbage classification, better for environment and resource recycling

COMPONENTS

Two ways slow motion unibox, environmental protection plastic bins

COLOR OF BINS COVER

Grey, Blue, Green, Orange

SIZE

600mm cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Description	*
AB4115S.060A1.(^)	600	564X500X480	2*24L	1Set
AB4115S.060A2.(^)	600	564X500X350	2*17L	1Set

Remarks: (^): Color:Gray(GR)/Blue(BU)/Green(GN)/Orange(OG)



➤ Single bin/Double bins



ADVANTAGES

High quality cold steel tube/eco-friendly

FUNCTION

Garbage sorting in enclosure space

COMPONENTS

Optional: soft-closing(unibox runner)/without soft-closing(full extension ball bearing slide);

Single bin 25L/Double bins (25L*2)


COLOR OF BINS COVER

Grey/Blue

SIZE

300mm/400mm cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Description	*
AB4102S.030A1.(^)	300	264X520X480	Soft-closing/25L	1Set
AB4102S.030A2.(^)	300	264X520X480	Without soft-closing/25L	1Set
AB4102S.040A1.(^)	400	364X540X480	Soft-closing/25L*2	1Set
AB4102S.040A2.(^)	400	364X540X480	Without soft-closing/25L*2	1Set


Remarks: (^): Color:Gray(GR)/Blue(BU)



BIG BIN

MEDIUM BIN






Code.	Volume(L)	W *D*H (MM)	*
AB1130.24.(^A)	24	340X215X460	1Set
AB1130.17.(^)	17	340X215X330	1Set

Remarks:

(^): Color:Gray(GR)/Blue(BU)/Green(GN)/Orange(OG)





Code.	Volume(L)	W *D*H (MM)	*
AB1129.20.(^)	20	300X215X460	1Set
AB1129.15.(^A)	15	300X215X330	1Set


Remarks:

(A): Color:Gray(GR)/Blue(BU)/Green(GN)/Orange(OG)

SMALL BIN

SMALL BIN






Code.	Volume(L)	W *D*H (MM)	₩
AB1131.10.([^])	10	215X170X460	1 Set
AB1131.08.(^A)	8	215X170X330	1Set

Remarks:

(^): Color:Gray(GR)/Blue(BU)/Green(GN)/Orange(OG)





Code.	Volume(L)	W *D*H (MM)	₩
AB1139.30.(^A)	30	357X222X527	1 Set
AB1140.09.(^A)	9	228X144X457	1 Set

Remarks:

(A): Color:Gray(GR)/Blue(BU)/Green(GN)/Orange(OG)



WARDROBE STORAGE SYSTEM — Naka



NAKA MULTIFUNCTIONAL LEATHER STORAGE BOX



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +20mm

COMPONENTS

High-strength aluminium frame, with inner box

COLOUR


Mocca

PACKING

1Set

SIZE

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4140S.060.MCA	600	564~584X443X70	1Set
WS4140S.080.MCA	800	764~784X443X70	1Set
WS4140S.090.MCA	900	864~884X443X70	1Set







NAKA PVC RATTAN STORAGE BASKET



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +20mm

COMPONENTS

High-strength aluminium frame, with PVC rattan basket

COLOUR


Mocca

PACKING

1Set

SIZE

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4141S.060.MCA	600	564~584X443X170	1Set
WS4141S.080.MCA	800	764~784X443X170	1Set
WS4141S.090.MCA	900	864~884X443X170	1Set







NAKA BOARD TYPE STORAGE BOX



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +20mm

COMPONENTS

High-strength aluminium frame, with flat and shallow board type basket

COLOUR


Mocca

PACKING


1Set

SIZE

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4142S.060.MCA	600	564~584X443X150	1Set
WS4142S.080.MCA	800	764~784X443X150	1Set
WS4142S.090.MCA	900	864~884X443X150	1Set







NAKA SIMPLE STYLE TROUSERS RACK



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +20mm

COMPONENTS

High-strength aluminium frame, with PVC rails

COLOUR


Mocca

PACKING

1Set

SIZE

T(MM)	W *D*H (MM) with slides	•
600	564~584X443X60	1Set
800	764~784X443X60	1Set
900	864~884X443X60	1Set
	600 800	600 564~584X443X60 800 764~784X443X60







NAKA BOARD TYPE SHOES RACK



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +20mm

COMPONENTS

High-strength aluminium frame, with steel board type shoes rack

COLOUR


Mocca

PACKING

1Set

SIZE


Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4144S.060.MCA	600	564~584X443X180	1Set
WS4144S.080.MCA	800	764~784X443X180	1Set
WS4144S.090.MCA	900	864~884X443X180	1Set







WARDROBE STORAGE SYSTEM — Moka



MULTIFUNCTIONAL STORAGE BOX



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +46mm

COMPONENTS

High-strength aluminium frame, with inner box

COLOUR

Mocca/white


PACKING

1Set

SIZE


600MM、800MM、900MM cabinet width

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4117S.060.(^)	600	564~610X475X80	1Set
WS4117S.080.(^A)	800	764~810X475X80	1Set
WS4117S.090.(^)	900	864~910X475X80	1Set



Note:





SEMI-OPEN TYPE STORAGE BOX



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +46mm

COMPONENTS

High-strength aluminium frame, with inner box

COLOUR

Mocca/white

PACKING


1Set

SIZE


800MM、900MM cabinet width

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4118S.080.(^A)	800	764~810X475X80	1Set
WS4118S.090.(^)	900	864~910X475X80	1Set









PVC RATTAN STORAGE BASKET



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +46mm

COMPONENTS

High-strength aluminium frame, with PVC rattan basket

COLOUR

Mocca/white

PACKING


1Set


SIZE

600MM、800MM、900MM cabinet width

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4119S.060.(^)	600	564~610X475X170	1Set
WS4119S.080.(^A)	800	764~810X475X170	1Set
WS4119S.090.(^A)	900	864~910X475X170	1Set

Note:







FLAT AND SHALLOW BOARD TYPE STORAGE BASKET



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +46mm

COMPONENTS

High-strength aluminium frame, with flat and shallow board type basket

COLOUR

Mocca/white


PACKING

1Set

SIZE

600MM、800MM、900MM cabinet width

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4120S.060A.(^)	600	564~610X475X100	1Set
WS4120S.060B.(^)	600	564~610X475X150	1Set
WS4120S.080A.(^)	800	764~810X475X100	1Set
WS4120S.080B.(^)	800	764~810X475X150	1Set
WS4120S.090A.(^)	900	864~910X475X100	1Set
WS4120S.090B.(^A)	900	864~910X475X150	1Set



Note:





METAL WIRE STORAGE BASKET



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +46mm

COMPONENTS

High-strength aluminium frame, with metal wire storage basket

COLOUR

Mocca/white


PACKING

1Set

SIZE


600MM、800MM、900MM cabinet width

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4121S.060A.(^)	600	564~610X475X120	1Set
WS4121S.060B.(^)	600	564~610X475X200	1Set
WS4121S.080A.(^)	800	764~810X475X120	1Set
WS4121S.080B.(^)	800	764~810X475X200	1Set
WS4121S.090A.(^)	900	864~910X475X120	1Set
WS4121S.090B.(^)	900	864~910X475X200	1Set



Note:





SIMPLE TROUSERS RACK



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +46mm

COMPONENTS

High-strength aluminium frame, with aluminium rails

COLOUR

Mocca/white


PACKING

1Set

SIZE

600MM、800MM、900MM cabinet width

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4122S.060.(^A)	600	564~610X475X60	1Set
WS4122S.080.(^)	800	764~810X475X60	1Set
WS4122S.090.(^A)	900	864~910X475X60	1Set







MULTIFUNCTIONAL PLASTIC TROUSERS RACK



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +46mm

COMPONENTS

High-strength aluminium frame, with metal rails and plastic boxes

COLOUR

Mocca/white

PACKING


1Set


SIZE

600MM、800MM、900MM cabinet width

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4123S.060.(^)	600	564~610X475X140	1Set
WS4123S.080.(^)	800	764~810X475X140	1Set
WS4123S.090.(^A)	900	864~910X475X140	1Set









MULTIFUNCTIONAL WOODEN BOX TROUSERS RACK



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +46mm

COMPONENTS

High-strength aluminium frame, with aluminium rails and wooden box

COLOUR

Mocca/white


PACKING

1Set


SIZE


800MM、900MM cabinet width

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4124S.080.(^A)	800	764~810X475X90	1Set
WS4124S.090.(^)	900	864~910X475X90	1Set



Note:





BOARD TYPE SHOES RACK



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +46mm

COMPONENTS

High-strength aluminium frame, with steel board type shoes rack

COLOUR

Mocca/white

PACKING

1Set

SIZE

600MM、800MM、900MM cabinet width

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4126S.060.(^A)	600	564~610X475X180	1Set
WS4126S.080.(^)	800	764~810X475X180	1Set
WS4126S.090.(^A)	900	864~910X475X180	1Set



Note:





METAL WIRE SHOES RACK



ADVANTAGES

Two-way soft closing, soft closing distance 53mm, adjustable max +46mm

COMPONENTS

High-strength aluminium frame, with metal wire shoes rack

COLOUR

Mocca/white


PACKING

1Set

SIZE

600MM、800MM、900MM cabinet width

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4127S.060.(^)	600	564~610X475X180	1Set
WS4127S.080.(^)	800	764~810X475X180	1Set
WS4127S.090.(^)	900	864~910X475X180	1Set



Note:





SOFT CLOSING GLASSES DRAWER



ADVANTAGES

Smooth and quiet, soft closing distance 53mm

COMPONENTS

Aluminium frame, tempered glass

COLOUR

Mocca/white/Silver

PACKING

1Set


SIZE

450MM、600MM、800MM、900MM cabinet width

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4128S.045.(^)	450	414X450X130	1Set
WS4128S.060.(^A)	600	564X450X130	1Set
WS4128S.080.(^A)	800	764X450X130	1Set
WS4128S.090.(^A)	900	864X450X130	1Set




(A):Colour : Mocca(MCA)/White(WT)/Silver(SV)





GLASS DIVIDER SYSTEM





Glass divider system

- -Used high quality glass
- -Humanity design with utility internal space
- -More functional drawer system
- -Fashional and modern

Vertical divider





Cabinet width:450mm


Horizonal divider



WS4128E.045.(*)
Remarks:(*):Color: Ground glass(GD) / Transparent(TR)/ Brown(BR)

Remarks:(A):Color: Ground glass(GD) / Transparent(TR)/ Brown(BR)

Cabinet width::600mm




Code No WS4128E.060.(^)


Remarks:(^):Color: Ground glass(GD) / Transparent(TR)/ Brown(BR)

Cabinet width::800mm

Code No





Cabinet width::900mm





Remarks:(^):Color: Ground glass(GD) / Transparent(TR)/ Brown(BR)


Installation instruction



















SIDE MOUNTED 4 LAYERS STORAGE RACK



ADVANTAGES

Two-way soft closing, soft closing distance 53mm

COMPONENTS

Side mounted 4 layers storage rack

COLOUR

Mocca/white


PACKING

1Set

SIZE

400MM cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4515RS.305.(^A)	400	305X463X870	1Set
WS4515LS.305.(^)	400	305X463X870	1Set

lote:



SIDE MOUNTED 4 LAYERS SHOES RACK



ADVANTAGES

Two-way soft closing, soft closing distance 53mm

COMPONENTS

Side mounted 4 layers shoes rack

COLOUR

Mocca/white


PACKING

1Set

SIZE

400MM cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4514RS.305.(^A)	400	305X463X870	1Set
WS4514LS.305.(^A)	400	305X463X870	1Set

Note:



SOFT CLOSING WARDROBE LIFT



ADVANTAGES

Soft closing, smooth and quiet

COMPONENTS

Aluminium/Steel

COLOUR


Mocca/silver/chrome

PACKING

1Set







Code.	Cabinet Width T(MM)	Material	₩
WS2101S.060.(^)	544~654	Aluminium	1Set
WS2101S.083.(^A)	644~914	Aluminium	1Set
WS2101S.115.(^)	876~1289	Aluminium	1Set
WS2201S.060.(^A)	544~654	Steel	1Set
WS2201S.083.(^A)	644~914	Steel	1Set
WS2201S.115.(^A)	876~1289	Steel	1Set

Note:

(A):Colour : Mocca(MCA)/Chrome(CP)/Silver(SV)



TOP MOUNTED CLOTHES HANGER

ADVANTAGES

Top mounted clothes hanger, simple and fashion

COMPONENTS

Aluminium/Zamak


COLOUR

Silver/Mocca

SIZE

≤3000mm

Code.	T(MM)	
AP2175.(^)	≤3000	
TS1401.012.(^A)		
TS1402.012.(^A)		



Note:

(^):Colour : Mocca(MCA)/Silver(SV)





SIDE MOUNTED CLOTHES HANGER

ADVANTAGES

Side mounted clothes hanger, simple and fashion

COMPONENTS

Aluminium/Zamak


COLOUR

Silver/Mocca

SIZE


≤3000mm

Code.	T(MM)	
AP2175.(^)	≤3000	
TS1403.012.(^A)		



Note:

(A):Colour : Mocca(MCA)/Silver(SV)





CORNER CLOTHES HANGER

ADVANTAGES

Corner clothes hanger, simple and fashion

COMPONENTS

Aluminium/Zamak


COLOUR

Silver/Mocca

SIZE

≤3000mm

Code.	T(MM)	
AP2175.(^A)	≪3000	
TS1401.012.(^A)		
TS1404.012.(^)		



Note:

(A):Colour : Mocca(MCA)/Silver(SV)





SOFT CLOSING ROTATED MIRROR



ADVANTAGES

Soft closing, with storage boxes, convenient and useful

COMPONENTS

High-strength aluminium frame, with high quality mirror

COLOUR

Mocca/white

PACKING

1Set

SIZE

300MM cabinet width



Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS3103S.170.(^A)	300	170X415X1130	1 Set

Note:

(^):Colour : Mocca(MCA)/White(WT)

3- Unihopper

SOFT CLOSING ROTATED MIRROR



PT ROTATING MIRROR

ADVANTAGES

With led/without led, soft closing, convenient and useful

COMPONENTS

High-strength aluminium frame, with high quality mirror

COLOUR

Mocca/white

PACKING


1Set

SIZE

300MM cabinet width







Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Description	*
WS3104S1.020.(^A)	300	52X423X1040	With led	1Set
WS3104S2.020.(^A)	300	52X423X1040	Without led	1Set

Note:

(^):Colour : Mocca(MCA)/White(WT)

ADVANTAGES

Convenient and useful

COMPONENTS

High-strength aluminium frame, with high quality mirror

COLOUR


Mocca

PACKING


1Set

SIZE

300MM cabinet width







Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS3105.020.MCA	300	40X340X1000	1Set

Unihopper -9.50- Unihopper



SOFT CLOSING TOP MOUNTED CLOTHES HANGER



ADVANTAGES

Top mounted, soft closing, and space efficient

COMPONENTS

High-strength aluminium frame, with electroplate metal

COLOUR

Mocca/white

PACKING

1Set


SIZE

250MM cabinet width

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4307S.(^A)	250	160X445X85	10 Set

Note:

(^):Colour : Mocca(MCA)/White(WT)







SOFT CLOSING SIDE MOUNTED TIE RACK



ADVANTAGES

Side mounted, soft closing, and space efficient

COMPONENTS

High-strength aluminium frame, with electroplate metal

COLOUR

Mocca/white

PACKING

1Set


SIZE

250MM cabinet width

Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	₩
WS4310S.(^)	250	170X445X85	10 Set

Note:

(^):Colour : Mocca(MCA)/White(WT)





3 LAYERS OF ROTATING BASKET

ADVANTAGES

Suitable install in 90 degrees corner cabinet, make the best use of wardrobe corner space

COMPONENTS

360 degree rotating clothes hanger,270 degree rotating tray

COLOUR


Mocca


PACKING

1Set

SIZE

Min800MM cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4152.MCA	Min800	700X700X1900-2100	1Set



360 DEGREE ROTATING SHOE RACK

ADVANTAGES

360 degrees revolving, frame can be adjustable 270mm

COMPONENTS

Twelve layers/ eight layers shoe rack

COLOUR


Mocca/White


PACKING


1Set

SIZE

800MM cabinet width







Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	Layers	*
WS4518SK.(^A)	800	700X365X1920-2190	12	1Set
WS4518SG.(^A)	800	700X365X1360-1630	8	1Set

Note:

(A):Colour : Mocca(MCA)/White(WT)

LOCKBOX



ADVANTAGES

Touch screen password

Touch screen password/Touch screen password or Fingerprint password control switch, large space design

COMPONENTS


Touch screen password/Touch screen password or Fingerprint password lockbox

COLOUR

White/Mocca

SIZE

600mm cabinet width



Code.	Cabinet Width T(MM)	W *D*H (MM)	Description	*
WS4138.(^)	600	564X400X150	Touch screen password	1Set
WS4138FP.(^)	600	564X400X150	Touch screen password or Fingerprint password lockbox	1Set

Note:

(*):Colour : Mocca(MCA)/White(WT)

IRONING BOARD





ADVANTAGES

Foldable, freely close and open, perfectly use the space of wardrobe

COMPONENTS


Ironing board


COLOUR

GREY

SIZE

Min400mm cabinet width





Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4131.GR	Min400	300X440X138	1Set



ROTATING IRONING BOARD

DVANTAGES

Rotating, foldable, freely close and oepn, perfectly use the space of wardrobe

COMPONENTS

Rotating ironing board


COLOUR


GREY

SIZE

Min400mm cabinet width








Code.	Cabinet Width T(MM)	W *D*H (MM) with slides	*
WS4131S.GR	Min400	320X460X150	1Set

-9.62- Unihopper








Insert LED cabinet strip lighting


- Operating voltage:DC12V
- Light colour:3000K/6000K
- -Plug for option: black plug/2510 white plug
- D1:Length:448mm/Wattage:2W/Windows:24Pcs D2:Length:548mm/Wattage:2.4W/Windows:30Pcs D3:Length:1000mm/Wattage:4.8W/Windows:57Pcs



REMARKS

This LED lighting's operating voltage is 12V, it can be used on wall cabinet, wardrobe, and kitchen cabinets etc. Insert mounted.





Code No

LT1139.NA.(^A).(^B)

(A):D1/D2/D3(Length can be customized) (8):Light source: cool white=CW/warm white=WW














Unihopper -9.64-








LED wardrobe strip lighting

-Sensor switch

- Operating voltage:DC12V
- Light colour:3000K/6000K
- -Sensor switch
- -Plug for option: black plug/2510 white plug
- D1:Length:435mm/Wattage:2W/Windows:24Pcs D2:Length:635mm/Wattage:2.8W/Windows:36Pcs D3:Length:935mm/Wattage:4.5W/Windows:54Pcs



REMARKS

This LED lighting's operating voltage is 12V, it can be used on wardrobe. Sensor switch: built-in PIR, detection distance 0-2M. Light will be on when approaching, and off after 15 seconds. No need drilling.





Code No

LT1169.BR.(^A).(^B)

(^):D1/D2/D3(Length can be customized)

(8):Light source: cool white=CW/warm white=WW













Unihopper -9.66-








LED wardrobe strip lighting

-Sensor switch

- Operating voltage:DC12V
- Light colour:3000K/6000K
- -Sensor switch
- -Plug for option: black plug/2510 white plug
- D1:Length:650mm/Wattage:3.5W D2:Length:750mm/Wattage:4W D3:Length:1050mm/Wattage:5.5W




REMARKS

This LED lighting's operating voltage is 12V, it can be used in wardrobe. Sensor switch:built-in PIR, detection distance 0-2M. Light will be on when approaching, and off after 15 seconds.

No need drilling.





Code No

LT1170.BR.(^A).(^B)

Remarks:

(^):D1/D2/D3(Length can be customized)

(8):Light source: cool white=CW/warm white=WW



-9.68- Unihopper








LED wardrobe strip lighting

-Sensor switch


- Operating voltage:DC12V
- Light colour:3000K/6000K
- -Sensor switch
- -Plug for option: black plug/2510 white plug
- D1:Length:460mm/Wattage:5W D2:Length:560mm/Wattage:6W D3:Length:660mm/Wattage:7.4W



REMARKS

This LED lighting's operating voltage is 12V, it can be used in corner wardrobe. Sensor switch: built-in PIR, detection distance 0-2M. Light will be on when approaching, and off after 15 seconds. No need drilling.





Code No

LT1172.BR.(^A).(^B)

(A):D1/D2/D3(Length can be customized)

(8):Light source: cool white=CW/warm white=WW













Unihopper -9.70-